

# Welcome

Our 2023 Door Collection showcases a diversity of door designs, from firm favourites to innovative new styles.

Industrial and Scandi interiors (and the doors inspired by these), continue to be popular. alongside the UK's love of laminates. Hence, JB Kind have created the new Cosmo Grey door that integrates seamlessly into the Urban Industrial family with all the benefits of durability and consistency that laminate brings. The stunning graphite grey laminate finish fits in perfectly with the top interior trend of using mixed metals.

A new selection of handle packs (with everything you need to fit a door) have been introduced which are sure to be the perfect accompaniment for your doors. Whether you prefer a soft touch black, satin grey or chrome/stainless steel finish, the choices are plentiful and affordable.

Whatever your budget or design dream, we're confident we'll have the door solution to meet vour needs.

## **Architects, Specifiers** and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards.

From fire protection and thermal insulation to renewable resources and disabled access. you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as Certifire.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.


# Contents

About JB Kind Doors pages 4-5 Choosing your doors pages 6-7 Where to buy page 7 Where to see our doors page 8 Responsible suppliers page 9 Get inspired page 10-11 Internal Doors pages 12-117 Pocket Door Systems pages 118-121 pages 122-125 Door Furniture External Doors pages 126-129 Our Services page 130 Bespoke Options

PAS 24 Security Doorsets pages 132-133 Colour Options pages 134-135 Rebated Door Pairs page 135

Essential door care &

maintenance advice page 136 Index page 137







2 www.jbkind.com T: 01283 554197

# Working with timber since 1870






Over 150 years and we're still going strong!

Our founder John Blower Kind built up a successful timber merchant and box manufacturing business up until his death in 1905. A family ethos has continued until this day and the business has always diversified and moved with the times.



We've manufactured boxes for the military during both world wars and supplied well known companies such as Fyffes bananas, Ovaltine and Johnnie Walker.

Moving into the manufacture of timber pallets in the 1960's, our business has always had timber at its heart.



## 40 years in doors

We're celebrating a special anniversary this year – 40 years since we started selling doors in 1983!

Initially a side-line alongside JB Kind's timber milling and pallet manufacturing divisions, the door business boomed and we moved to solely supplying doors in 2007.

Door styles and our brochures have changed quite a bit during this time! We're proud to say that innovation is inherent in our business and we continue to design and supply the latest interior door trends.

#### Today, we offer more than just doors

At our purpose built head office and distribution centre in Derbyshire, we offer a number of different door related products and services.

Whether you require tailor made bespoke doors in a different design or size,

pre-assembled doorsets or a professional spray paint finish service in any colour you like - we can help.

Space saving pocket door systems that are easy to install and an attractive selection of handle packs that include everything you need to fit a door, are also available.



www.jbkind.com T: 01283 554197

# Choosing your doors



## How to measure up

To make sure you purchase the right door sizes, take the following measurements.

Door width: measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door. Door height: measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering and fitting tolerances (normally 2-3mm on long edges and top edge).

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.



#### Door size conversion chart:

A little help if you need to work out the metric and imperial equivalent for door sizes.

#### Height & Width

Metric (mm)	Imperial (inches)	Imperial (feet & inches)
1981 x 457	78" x 18"	6'6" x 1'6"
1981 x 533	78" x 21"	6'6" x 1'9"
1981 x 610	78" x 24"	6'6" x 2'0"
1981 x 686	78" x 27"	6'6" x 2'3"
1981 x 711	78" x 28"	6'6" x 2'4"
1981 x 762	78" x 30"	6'6" x 2'6"
1981 x 838	78" x 33"	6'6" x 2'9"
1981 x 915	78" x 36"	6'6" x 3'0"
1981 x 1067	78" x 42"	6'6" x 3'6"
1981 x 1168	78" x 46"	6'6" x 3'10"
1981 x 1220	78" x 48"	6'6" x 4'0"
1981 x 1372	78" x 54"	6'6" x 4'6"
1981 x 1524	78" x 60"	6'6" x 5'0"
2032 x 813	80" x 32"	6'8" x 2'8"
2134 x 915	84" x 36"	7'0" x 3'0"
2040 x 526	80¼" x 20 <sup>11</sup> /16"	6'8¼" x 1'8¹¼6"
2040 x 626	80¼ x 245/8"	6'8¼" x 2'05/8"
2040 x 726	80¼ x 285/8"	6'8¼" x 2'45/8"
2040 x 826	80¼ x 32½"	6'8¼" x 2'8½"
2040 x 926	80¼" x 36 <sup>7</sup> /16"	6'8¼" x 3'0 <sup>7</sup> /16"

## Things to consider

#### Finish

Choosing new internal doors involves making a decision on whether they come fully finished or primed/unfinished ready for a top coat of paint or varnish.



Unfinished

Finished

Primed

## Glazing beads

Many glazed doors have beading (mouldings) that surround the glass panes, sometimes these are flush or raised. We confirm the beading types in our product details.







Raised beading

#### Core construction

Doors vary in construction and the typical compositions are:

**Solid** – a solid centre made from wood-based timber components.

**Semi-solid** – both solid and cellular components

**Standard** – a cellular, hollow core that is lighter in weight



Solid

d Semi-solid Standard

## Door style

Do you know your flush, from your cottage to your panelled? We recommend choosing your favourite style, as it will help narrow down your search.



# Where to buy

We do not sell doors direct, instead all our doors can be ordered from approved Online Partners and Builders Merchants / Door Retailer partners across the UK.

Visit the Where to Buy section on jbkind.com or contact us for details of your closest retailer.



Find your nearest retailer at ibkind.com/about/where-to-buy



6 www.jbkind.com T: 01283 554197

# Where to see our doors





At our showroom we welcome visitors from across the UK to view the largest range of JB Kind doors in the country.

From architects and specifiers, to developers, self builders and renovators, we offer exclusive access to the showroom, Monday to Friday on an appointment only basis.

Based in Swadlincote, South Derbyshire, JB Kind's showroom is conveniently located just 10 minutes from either junction 11 or 13 on the M42.

You will be able to view more than 70 doors on display from our latest and most popular door ranges, as well as a double pocket door system, a working bi-fold door and rebated door pair.

We have many partners throughout the UK with our doors on display, so please contact us for details of your closest showroom.

## BOOK TODAY...

Please call 01283 554197 to make an appointment or complete our online appointment form.



# Responsible suppliers

# FSC® Certified chain of custody door supplier

We hold our own FSC® chain of custody certification for certain doors within our collection. Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see FSC® Certified within a product description that door has been produced from certified materials and other controlled sources.



#### Fire Doors

Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and certified, collections of fire doors in the UK.

As responsible suppliers of fire resistant doors, we ensure that all of our FD30 doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards. All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can't do when fitting any door. All glazed fire doors are fitted with fire-rated glass.

**FD30** fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to <a href="mailto:jbkind.com">jbkind.com</a> or call **01283 554197**.

### Finding your fire doors

Look out for the or icons that are adjacent to product codes throughout the brochure.

For a more detailed breakdown of the fire door options by range. See our online 'At a Glance Guide' that shows the standard stock and bespoke options for both solid and glazed FD30 fire doors, at

jbkind.com/info-centre/fire-doors

#### **Certificated Fire Doors**

Fire doors certificated by Warringtonfire are identified by Certifire FD30 Fire door. JB Kind's membership of the BWF Fire Door Alliance Scheme supports the promotion of third party certification.





## Certifications & Memberships

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality standard to the ISO9001 accreditation and

our affiliation to the British Woodworking Federation (BWF).





### Guarantee

We are proud of the quality of our products and use the best materials, manufacturing processes and control systems to ensure a high quality of workmanship. For more information on our product guarantees, please visit jbkind.com



www.jbkind.com T: 01283 554197 9

# Get Inspired...

# Door Visualiser

## Helping to make door choices easier

The Door Visualiser is the UK's first online door visualisation tool and it's exclusive to JB Kind!

This innovative tool will help you try out more than 70 of our most popular door designs in a choice of room settings. You can tweak the room style to suit your own personal taste by changing the wall colours and flooring, then save and share your favourite pictures.

The perfect way to try before you buy! #chooseyourdoors









Scan the QR code and start choosing your new doors






Paint the walls

Change the flooring



or view online at



Plus, there are product focus brochures, FAQs, how to advice, videos and our bespoke services are all available for you to browse through.



## Real home inspiration


Follow us on instagram for inspirational homes, self builds and renovation projects, news and much more.

See our doors in #realhomes and don't forget to share photos of your projects by tagging us in at #ibkinddoors.
















Visit jbkind.com to find lots more information to help you make your door choices. Including information on finishes, sizes and the latest interior trends.

View our brochures at

a doorvisualiser.com

Axis White Glazed

Door Visualiser

JBK ind







## **URBAN INDUSTRIAL LAMINATE**

#### Finish:

Finished graphite grey laminate

#### Style:

3 ladder style panels

#### Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed door

#### Construction:

Solid framing and lock blocks Robust 9mm solid panels

#### Other:

10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time





FINIS	HED		
Size	(mm)		Code
1981	610	35	UGRCOS20
1981	686	35	UGRCOS23
1981	762	35	UGRCOS26
1981	838	35	UGRCOS29

#### **NEW**

#### Cosmo Grey



#### Add the finishing touch...

see page 124







### FINISHED

Size	(mm)		Code
1981	610	35	UGRCOS20G
1981	686	35	UGRCOS23G
1981	762	35	UGRCOS26G
1981	838	35	UGRCOS29G

Vi. View in our Door Visualiser





Black or white painted finish

#### Style:

Art deco style panels

#### Glazing:

Clear flat safety glass

City Black is also available with tinted glass All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

#### Construction:

Solid framing and lock blocks Robust 9mm MDF panels for solid doors

10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time





see page 124

#### City Black

Vi







City Black

Tinted Glass



FINIS	SHED			FINIS	HED		
Size	(mm)		Code	Size	(mm)		Code
1981	610	35	UCIT20BL	1981	610	35	UCIT20GB
1981	686	35	UCIT23BL	1981	686	35	UCIT23GBI
1981	762	35	UCIT26BL	1981	762	35	UCIT26GBI
1981	838	35	UCIT29BL	1981	838	35	UCIT29GBI



FINIS	HED		
Size	(mm)		Code
1981	762	35	UCIT26GGBL

#### City White



Vi



City White

Clear Glass



-	

ייין	l		
FINIS	HED		
Size	(mm)		Code
1981	610	35	UCIT20WH
1981	686	35	UCIT23WH
1981	762	35	UCIT26WH
1981	838	35	UCIT29WH

		FINIS	HED		
	Code	Size	(mm)		Code
35	UCIT20WH	1981	610	35	UCIT20GWH
35	UCIT23WH	1981	686	35	UCIT23GWH
35	UCIT26WH	1981	762	35	UCIT26GWH
35	UCIT29WH	1981	838	35	UCIT29GWH



Add the finishing touch...



T: 01283 554197



City Black, @project\_34\_selfbuild



Black or white painted finish

#### Style:

5 Ladder style panels

#### Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

#### Other:

10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time





Add the finishing touch... see page 124



#### Metro Black









Metro White Clear Glass



FINISHED							
Size	(mm)		Code				
1981	610	35	UMET20BL				
1981	686	35	UMET23BL				
1981	762	35	UMET26BL				
1981	838	35	UMET29BL				



FINISHED							
Size	(mm)		Code				
1981	610	35	UMET20				
1981	686	35	UMET230				
1981	762	35	UMET260				
1981	838	35	UMFT29				

Vi

			LIMIS	חבט		
nm)		Code	Size	(mm)		Code
610	35	UMET20GBL	1981	610	35	UMET20WH
686	35	UMET23GBL	1981	686	35	UMET23WH
762	35	UMET26GBL	1981	762	35	UMET26WH
838	35	UMET29GBL	1981	838	35	UMET29WH



FINISHED							
Size (	(mm)		Code				
1981	610	35	UMET20GWH				
1981	686	35	UMET23GWH				
1981	762	35	UMET26GWH				
1981	838	35	UMET29GWH				

Vi View in our Door Visualiser



## **URBAN INDUSTRIAL PAINTED**

#### Finish:

Black or white painted finish

#### Style:

6 industrial style panels

#### Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors

#### Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors

10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock

with a short lead time









#### Civic Black



IS	HED			FINISHED				
9 (	(mm)		Code	Size (	(mm)		Code	
ı	610	35	UCIV20BL	1981	610	35	UCIV20GBL	
1	686	35	UCIV23BL	1981	686	35	UCIV23GBL	
1	762	35	UCIV26BL	1981	762	35	UCIV26GBL	
1	070	35	LICIV/20DI	1001	070	75	LICIV/20CDI	

Civic White



#### Civic White Clear Glass



Vi

FINISHED						
Size	(mm)		Code			
1981	610	35	UCIV20WH			
1981	686	35	UCIV23WH			
1981	762	35	UCIV26WH			
1981	838	35	UCIV29WH			

Vi

D			FINIS	SHED			
n)		Code	Size	(mm)		Code	
0	35	UCIV20WH	1981	610	35	UCIV20GWH	
36	35	UCIV23WH	1981	686	35	UCIV23GWH	
52	35	UCIV26WH	1981	762	35	UCIV26GWH	
8	35	UCIV29WH	1981	838	35	UCIV29GWH	

T: 01283 554197

Vi View in our



## **URBAN INDUSTRIAL PAINTED**

#### Finish:

Black or white painted finish

#### Style:

10 industrial style panels

#### Glazing:

Clear flat safety glass

All glazed doors are constructed with individual panes for added stability

No risk of drilling into glass on glazed doors Construction:

Solid framing and lock blocks

Robust 9mm MDF panels for solid doors


10mm trimming allowance on bottom rail Suitable for regular door ironmongery Rebated door pairs can be ordered from stock with a short lead time





Plaza Black







Plaza White

see page 124



Plaza White Clear Glass



Vi

FINISHED							
Size	(mm)		Code				
1981	610	35	UPLA20BL				
1981	686	35	UPLA23BL				
1981	762	35	UPLA26BL				
1981	838	35	UPLA29BL				

Vi

FINISHED							
Size (	(mm)		Code				
1981	610	35	UPLA20GBL				
1981	686	35	UPLA23GBL				
1981	762	35	UPLA26GBL				
1981	838	35	UPLA29GBL				

Vi

HED			FINISHED					
(mm)		Code	Size	(mm)		Code		
610	35	UPLA20GBL	1981	610	35	UPLA20WH	ı	
686	35	UPLA23GBL	1981	686	35	UPLA23WH		
762	35	UPLA26GBL	1981	762	35	UPLA26WH		
838	35	UPLA29GBL	1981	838	35	UPLA29WH		



INISHED							
ize	(mm)		Code				
981	610	35	UPLA20GWH				
981	686	35	UPLA23GWH				
981	762	35	UPLA26GWH				
981	838	35	UPLA29GWH				

Vi View in our Door Visualiser





Finished laminate with light grey and ivory coloured wood effect

#### Style:

5 ladder style panels with matching coloured grooves

#### Glazing:

Clear flat safety glass with raised beading

#### Construction:

Semi-solid core construction

#### Other:

FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



Add the finishing touch...

see page 124



Tigris Light

#### Tigris Light Grey







Tigris Ivory



Tig	ris	Ivory	Gla	zec

LIMISHED			
Size (	(mm)		Code
1981	610	35	LAVTIG20
1981	686	35	LAVTIG23
1981	762	35	LAVTIG26
1981	838	35	LAVTIG29
1981	610	44	LAVTIG20FD30 🍑
1981	686	44	LAVTIG23FD30 🎍
1981	762	44	LAVTIG26FD30 🎍
1981	838	44	LAVTIG29FD30

Vi

Vi

F	INIS	HED		
S	ize (	(mm)		Code
19	981	686	35	LAVTIG23G
19	981	762	35	LAVTIG26G
19	981	838	35	LAVTIG29G



FINIS	HED		
Size	(mm)		Code
1981	610	35	IVOTIG20
1981	686	35	IVOTIG23
1981	762	35	IVOTIG26
1981	838	35	IVOTIG29
1981	610	44	IVOTIG20FD30
1981	686	44	IVOTIG23FD30
1981	762	44	IVOTIG26FD30
1981	838	44	IVOTIG29FD30

Vi,

	FINIS	HED			
Code	Size	(mm)		Code	
IVOTIG20	1981	686	35	IVOTIG23G	
IVOTIG23	1981	762	35	IVOTIG26G	
IVOTIG26	1981	838	35	IVOTIG29G	
IVOTIG29					
IVOTIG20FD30					
IVOTIG23FD30					
IVOTIG26FD30 🎍	Vi \	/iew i	n oı	ır	

Door Visualiser



Finished laminate with dark grey coloured wood effect

#### Style:

5 ladder style panels with dark grey coloured grooves

#### Glazing:

Clear flat safety glass with raised beading

#### Construction:

Semi-solid core construction

#### Other:

FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.





FINISHED					
Size	(mm)		Code		
1981	610	35	CINTIG20		
1981	686	35	CINTIG23		
1981	762	35	CINTIG26		
1981	838	35	CINTIG29		
1981	610	44	CINTIG20FD30		
1981	686	44	CINTIG23FD30		
1981	762	44	CINTIG26FD30		
1981	838	44	CINTIG29FD30		

#### Tigris Dark Grey



Add the finishing touch...

see page 124

Tigris Dark Grey Glazed





FINIS	SHED		
Size	(mm)		Code
1981	686	35	CINTIG23G
1981	762	35	CINTIG26G
1981	838	35	CINTIG29G

Tigris is also available in Oak, Walnut, Light Grey, Ivory and White, see pages 37, 67, 27 & 87.











Make a statement with \ a pocket door



Finished laminate with grey (Colorado Grey) and oak (Hudson) coloured wood effect

#### Style:

Grooved cottage style central panel

#### Glazing:

Colorado Grey: Clear flat safety glass with etched lines and raised beading Hudson: Clear flat safety glass with raised beading

#### Construction:

Semi-solid core construction

#### Other:

FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.



#### Colorado Grey





Colorado Grey Glazed



FINISHED						
Size	(mm)		Code			
1981	610	35	LCOLO20			
1981	686	35	LCOLO23			
1981	762	35	LCOLO26			
1981	838	35	LCOLO29			
1981	610	44	LCOLO20FD30	l		
1981	686	44	LCOLO23FD30	Ì		
1981	762	44	LCOLO26FD30	Ì		
1981	838	44	LCOLO29FD30	Ì		



FINIS	HED		
Size (	(mm)		Code
1981	686	35	LCOLO23G
1981	762	35	LCOLO26G
1981	838	35	LCOLO29G



#### Hudson



NIS	HED		
ze (	mm)		Code
81	610	35	LHUD20
81	686	35	LHUD23
81	762	35	LHUD26
81	838	35	LHUD29
040	626	40	LHUD626
040	726	40	LHUD726
040	826	40	LHUD826
81	610	44	LHUD20FD30
81	686	44	LHUD23FD30 🎍
81	762	44	LHUD26FD30 🎍
81	838	44	LHUD29FD30
040	626	44	LHUD626FD30
040	726	44	LHUD726FD30 🍑
040	826	44	LHUD826FD30
040	926	44	LHUD926FD30

#### Hudson Glazed



HED		
mm)		Code
686	35	LHUDG23
762	35	LHUDG26
838	35	LHUDG29
626	40	LHUDG626
726	40	LHUDG726
826	40	LHUDG826
	mm) 686 762 838 626 726	686 35 762 35 838 35 626 40 726 40

View in our Door Visualiser



Finished laminate with either a light smoky grey or dark grey coloured wood effect

#### Style:

Central panel is slightly recessed

#### Glazing:

Clear flat safety glass with raised beading

#### Construction:

Semi-solid core construction

#### Other:

♦ FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.





FINIS	FINISHED					
Size	(mm)		Code			
1981	610	35	LALAFUM20			
1981	686	35	LALAFUM23			
1981	762	35	LALAFUM26			
1981	838	35	LALAFUM29			
1981	686	44	LALAFUM23FD30 🍑			
1981	762	44	LALAFUM26FD30 🍑			





Alabama Light Grey Glazed





NIS	HED		
ze (	mm)		Code
81	686	35	LALA

LALAFUMG23 LALAFUMG26 762 35 LALAFUMG26 838 35 LALAFUMG29

Add the finishing touch.. see page 124



Vi FINISHED

 Size (mm)
 Code

 1981 610 35 LALACIN20

 1981 686 35 LALACIN23

 1981 762 35 LALACIN26

1981 838 35 LALACIN29

1981 686 44 LALACIN23FD30 🌢

1981 762 44 LALACIN26FD30 🌢

1981 838 44 LALACIN29FD30 🌢

Alabama Dark Grey



Alabama Dark





|--|

Size	(mm)		Code
981	686	35	LALACING23
981	762	35	LALACING26
981	838	35	LALACING29



33 32 www.jbkind.com T: 01283 554197



## **OAK CONTEMPORARY**

#### Finish:

Finished oak veneer with real wood grooves

#### Style:

5 ladder style panels

#### Glazing:

Emral/Bela: Clear flat safety glass with raised beading

Medina: Clear diamond cut safety glass with raised beading

#### Construction:

Solid core construction

#### Other:

Certifire FD30 Fire doors



Add the finishing touch...

see page 124



#### Tigris Oak



Tigris and Emral are available in Walnut and White, see pages 67 & 87.



Laminate versions are available in Dark Grey, Light Grey and lvory, see pages 29 & 27.







Size (			Code
	533		
1981	610	35	OISI20
1981	686	35	OISI23
1981	762	35	OISI26
1981	838	35	OISI29
2040	626	40	OISI626
2040	726	40	OISI726
2040	826	40	OISI826
1981	533	44	OISI19FD30
1981	610	44	OISI20FD30
1981	686	44	OISI23FD30
1981	762	44	OISI26FD30
1981	838	44	OISI29FD30
2040	726	44	OISI726FD3
2040	826	44	OISI826FD3
2040	926	44	OISI926FD3
Rebat	ed do	or p	airs available



#### Emral Oak





FINIS	HED		
Size	(mm)		Code
1981	686	35	OEMR23
1981	762	35	OEMR26
1981	838	35	OEMR29
1981	686	44	OEMR23FD30
1981	762	44	OEMR26FD30
1981	838	44	OEMR29FD30

#### Medina





	_			
FINISHED				
Size (mm)		Code		
1981 686	35	OMED23G		
1981 762	35	OMED26G		
1981 838	35	OMED29G		
2040 626	40	OMED626G		
2040 726	40	OMED726G		
2040 826	40	OMED826G		
Rebated d	oor p	airs available		
from stock for 35mm				
686/762/838mm sizes.				
Glazed fire	doo	rs are available		
to order.				

## Bela





	HED		
Size	(mm)		Code
1981	610	35	OBEL20
1981	686	35	OBEL23
1981	762	35	OBEL26
1981	838	35	OBEL29

Bespoke options



Option for PAS 24, see page 132



## **OAK CONTEMPORARY**

#### Finish:

Finished oak veneer with MDF grooves

#### Style:

3 ladder style panels

#### Glazing:

Clear flat safety glass with flush beading

#### Construction:

Semi-solid core construction Bi-fold: Solid core construction

#### Other:

♦ FD30 Fire doors (solid core construction)



Add the finishing touch...

see page 124



#### Mistral Oak









FINIS	HED		
Size (	mm)		Code
1981	533	35	OMIS19
1981	610	35	OMIS20
1981	686	35	OMIS23
1981	762	35	OMIS26
1981	838	35	OMIS29
2040	526	40	OMIS526
2040	626	40	OMIS626
2040	726	40	OMIS726
2040	826	40	OMIS826
1981	610	44	OMIS20FD30
1981	686	44	OMIS23FD30
1981	762	44	OMIS26FD30
1981	838	44	OMIS29FD30
2040	726	44	OMIS726FD30
2040	826	44	OMIS826FD30
2040	926	44	OMIS926FD30



Mistral Oak Glazed



Mistral Oak Bi-fold



Bi-folds are easy to install into existing BI-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.





FINIS	HED			
Size (	mm)		Code	
1981	686	35	OMIS23G	
1981	762	35	OMIS26G	
1981	838	35	OMIS29G	
2040	626	40	OMIS626G	
2040	726	40	OMIS726G	
2040	826	40	OMIS826G	
Glaze	d fire	doo	rs with	
raised	beac	ding	available	
to ord	ler.			

FINISHED 1981 762 35 OMISBF26


Mistral Oak Bi-fold is also available in White, see page 89.



Vi View in our Door Visualiser

Option for PAS 24, see page 132

T: 01283 554197



Mistral Oak Glazed



Unfinished oak veneer with real wood grooves

#### Style:

7 ladder style panels

#### Glazing:

Clear safety glass with raised beading

#### Construction:

Solid core construction

#### Other:

♦ FD30 Fire doors



 $Add\ the\ finishing\ touch...$ 

see page 124



Finished available to order

Bespoke options



Option for PAS 24, see page 132

#### Palomino







Size (	(mm)		Code
1981	610	35	OPAL20
1981	686	35	OPAL23
1981	762	35	OPAL26
1981	838	35	OPAL29
1981	610	44	OPAL20FD30
1981	686	44	OPAL23FD30 🍑
1981	762	44	OPAL26FD30 🍑
1981	838	44	OPAL29FD30

#### ALL C

UNFINISHED*				
Size	(mm)		Code	
1981	686	35	OPAL23G	
1981	762	35	OPAL26G	
1981	838	35	OPAL29G	
			rs available ear flat glass.	



## **OAK CONTEMPORARY**



Finished oak veneer

#### Style:

Sirocco: Grooved into MDF with alternate horizontal and vertical veneers

Ostria: Horizontal veneers with vertical stiles

#### Glazing:

Clear flat safety glass with flush beading

#### Construction:

Semi-solid core construction

- Certifire FD30 Fire doors
- ♦ FD30 Fire doors

All fire doors are solid core construction



Add the finishing touch...





#### Sirocco





Sirocco Glazed







AL.	- (0						
FINIS	HED			FINIS	SHED		
Size	(mm)		Code	Size	(mm)		Code
1981	610	35	OOST20	1981	686	35	OOST23G
1981	686	35	OOST23	1981	762	35	OOST26G
1981	762	35	OOST26	1981	838	35	OOST29G
1981	838	35	OOST29	Glaze	ed fire	doo	rs with
1981	686	44	OOST23FD30	raise	d bead	ding	available
1981	762	44	OOST26FD30	to or	der.		
1981	838	44	OOST29FD30				

. Bespoke options Option for

PAS 24, see page 132

FINIS	FINISHED					
Size	(mm)		Code			
1981	610	35	OSIR20			
1981	686	35	OSIR23			
1981	762	35	OSIR26			
1981	838	35	OSIR29			
1981	686	44	OSIR23FD30 🍑			

FINISHED 1981 686 35 OSIR23G 1981 762 35 OSIR26G 1981 838 35 OSIR29G Glazed fire doors with raised beading available

to order.

expected. Colours depicted are 1981 762 44 OSIR25FD30 4 1981 838 44 OSIR29FD30 4

Timber veneers are a natural

material and variations in the

representative only.

colour and graining should be

statement with

see page 118

Ostria

T: 01283 554197



Finished oak veneer

#### Style:

Chartwell/Blenheim: Dark wood inlay Clementine/Spencer: Walnut inlay

#### Glazing:

Clear flat safety glass with raised beading Blenheim FD30: is clear flat fire glass

#### Construction:

Chartwell & Blenheim: Semi-solid core construction

Clementine & Spencer: Solid core construction

#### Other:

- Certifire FD30 Fire doors
- ♦ FD30 Fire doors

All fire doors are solid core construction



Add the finishing touch...











Clementine









INISHED					
ize	(mm)		Code		
981	533	35	CCHA19		
981	610	35	CCHA20		
981	686	35	CCHA23		
981	762	35	CCHA26		
981	838		CCHA29		
981	686		CCHA23FD30		
981	762		CCHA26FD30		
981	838	44	CCHA29FD30	Ì	

. Bespoke options

Option for PAS 24, see page 132



INISHED							
ize	(mm)		Code				
981	686	35	CBLE23				
981	762	35	CBLE26				
981	838	35	CBLE29				
981	762	44	CBLE26FD30G				
981	838	44	CBLE29FD30G				



1981	533	35	CCLE19	
1981	610	35	CCLE20	
1981	686	35	CCLE23	
1981	762	35	CCLE26	
1981	838	35	CCLE29	
1981	686	44	CCLE23FD30	þ
1981	762	44	CCLE26FD30	þ
1981	838	44	CCLE29FD30	þ



	FINIS	HED			
	Size	(mm)		Code	
	1981	686	35	CSPE23	
	1981	762	35	CSPE26	
	1981	838	35	CSPE29	
	Glaze	ed fire	doo	rs available	e
	to or	der.			
) 🎍	WOM:	1			







Unfinished and finished oak veneer

#### Style:

Raised shaped panels

#### Glazing:

Clear bevelled safety glass

#### Construction:

Solid core construction

#### Other:

♦ FD30 Fire doors

Dove Pairs: rebated meeting stiles, left hand open away



UNFINISHED					
Size (mm)			Code		
1981	457	35	OTRE16*		
1981	533	35	OTRE19*		
1981	610	35	OTRE20v		
1981	686	35	OTRE23v		
1981	762	35	OTRE26v		
1981	838	35	OTRE29v		
2032	813	35	OTRE28*		
1981	686	44	OTRE23FD30v 🌢		
1981	762	44	OTRE26FD30v 🌢		
1981	838	44	OTRE29FD30v 🌢		

Trent



Dove



| Size (mm) | Code | 1981 | 610 | 35 | ODOV20 | 1981 | 762 | 35 | ODOV26v | 1981 | 838 | 35 | ODOV29 |

#### Dove Pairs



UNFINISHED*					
Size	(mm)		Code		
1981	1219	35	ODOV40		
1981	1372	35	ODOV46		
1981	1524	35	ODOV50		

- v Finished size available from stock
- Finished available to order

#### Finish:

Unfinished oak veneer

#### Style:

Flat recessed panels

#### Glazing:

Severn: Clear flat safety glass

Churnet: Diamond leaded safety glass

#### Construction:

Solid core construction

#### Other:

♣ FD30 fire doors



UNFINISHED\* Size (mm) 1981 610 35 ODER20 1981 686 35 ODER23 1981 762 35 ODER26 1981 838 35 ODER29

2032 813 35 ODER28 1981 686 44 ODER23FD30 • 1981 762 44 ODER26FD30 • 1981 838 44 ODER29FD30 •

Derwent





NFI	NISHE	ED*		UNFI	UNFINISHED*			
ize (mm) Code		Code	Size (	Size (mm)		Code		
981	686	35	OSEV23G	1981	686	35	OCHUDL23	
981	762	35	OSEV26G	1981	762	35	OCHUDL26	
981	838	35	OSEV29G	1981	838	35	OCHUDL29	

46 www.jbkind.com T: 01283 554197

## OAK CLASSIC

#### Finish:

Unfinished oak veneer

#### Style:

Eden/Darwen: Flat panel with decorative

Mersey: Raised shaped panels

#### Glazing:

Clear flat safety glass

#### Construction:

Solid core construction

#### Other:

FD30 Fire doors



Add the finishing touch... see page 124



#### Eden



Eden and Darwen are also available in White, see Jamaica and Trinidad on page 105.

UNFINISHED						
Size (	(mm)		Code			
1981	610	35	OEDE20			
1981	686	35	OEDE23			
1981	762	35	OEDE26			
1981	838	35	OEDE29			
1981	686	44	OEDE23FD30 🍑			
1981	762	44	OEDE26FD30 🍑			
1981	838	44	OEDE29FD30 🌢			

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.





Mersey (shown fiinished)

Darwen

UNFINISHED*						
Size	(mm)		Code			
1981	686	35	ODAR23G			
1981	762	35	ODAR26G			
1981	838	35	ODAR29G			

#### Mersey



UNFINISHED*						
Size (mm)			Code			
1981	610	35	OMER20			
1981	686	35	OMER23			
1981	762	35	OMER26			
1981	838	35	OMER29			
1981	762	44	OMER26FD30			
1981	838	44	OMER29FD30			

# Humber



UNFINISHED*						
Size	(mm)		Code			
1981	762	35	OHUM26			
1981	838	35	OHUM29			


Finished available to order

49

T: 01283 554197



Darwen (shown fiinished)



Finished oak veneer

#### Style:

Raised shaped panels

#### Glazing:

Clear flat safety glass

#### Construction:

Solid core construction

#### Other:

FD30 Fire doors



Add the finishing touch... see page 124

FINISHED

| Code | 1981 | 533 | 35 | VSO2P19 | 1981 | 610 | 35 | VSO2P20 | 1981 | 686 | 35 | VSO2P23 | 1981 | 762 | 35 | VSO2P26 | 1981 | 838 | 35 | VSO2P29 |

1981 686 44 VSO2P23FD30 🍑 1981 762 44 VSO2P26FD30 🌢

1981 838 44 VSO2P29FD30 🍑

#### Sherwood



	==					
INISHED						
ize (	(mm)		Code			
981	610	35	VSO4P20			
981	686	35	VSO4P23			
981	762	35	VSO4P26			
981	838	35	VSO4P29			
981	610	44	VSO4P20FD30 <b>△</b>			
981	686	44	VSO4P23FD30 ♦			
981	762	44	VSO4P26FD30 <b>△</b>			
981	838	44	VSO4P29FD30 🎍			

# Grizedale



FINIS	HED		
Size	(mm)		Code
1981	610	35	VSO6P20
1981	686	35	VSO6P23
1981	762	35	VSO6P26
1981	838	35	VSO6P29
1981	686	44	VSO6P23FD30 ♦
1981	762	44	VSO6P26FD30 ♦
1981	838	44	VSO6P29FD30 ♦

#### Dean



FINIS	HED			
Size	(mm)		Code	
1981	686	35	VSO6L2P23G	
1981	762	35	VSO6L2P26G	
1981	838	35	VSO6L2P29G	

#### Charnwood







FINISHED 
 Size (mm)
 Code

 1981 762 35 VSO6L1P26G
 VSO6L1P29G

 1981 838 35 VSO6L1P29G

Gisburn



INIS	HED		
ize	(mm)		Code
81	686	35	VSO10L23G
81	762	35	VSO10L26G
981	838	35	VSO10L29G



Finished oak veneer

#### Style:

Wide shaker panel design

#### Glazing:

Clear flat safety glass

#### Construction:

Solid core construction

Add the finishing touch...

see page 124

#### Other:

♦ FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.





FINIS	HED		
Size	(mm)		Code
1981	610	35	VOAXI20
1981	686	35	VOAXI23
1981	762	35	VOAXI26
1981	838	35	VOAXI29
1981	686	44	VOAXI23FD30
1981	762	44	VOAXI26FD30
1001	070	11	VOVANISOEDSO 🍑

#### Axis Oak Axis







Axis Oak is also available in Walnut and White, see pages 70 & 95.





	HED		
Size	(mm)		Code
1981	686	35	VOAXI23G
1981	762	35	VOAXI26G
1981	838	35	VOAXI29G







Unfinished oak veneer

#### Style:

Recessed flat panels

#### Glazing:

Clear flat safety glass

#### Construction:

Solid core construction

#### Other:

♦ FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



Add the finishing touch...

see page 124



#### Rushmore Oak





#### Snowdon



UNFI	NISHE	ED*	
Size	(mm)		Code
1981	610	35	ORUS20
1981	686	35	ORUS23
981	762	35	ORUS26
1981	838	35	ORUS29
1981	686	44	ORUS23FD30 🍑
1981	762	44	ORUS26FD30 🌢
1981	838	44	ORUS29FD30 🍑

Rushmore Oak is also available in White, see page 102.

Vi



#### Snowdon Bi-fold



## Vi

# UNFINISHED\*

Size (mm) 1981 762 Bi-folds are existing flus door stop). hinged with and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

### UNFINISHED\*

Nevis

Code	Size	(mm)		Code
35 OSNOBF26	1981	686	35	ONEV23
easy to install into	1981	762	35	ONEV26
sh linings (without	1981	838	35	ONEV29
Supplied ready				
pivots, brackets				
a track Bloaco noto				

Finished available to







Unfinished oak veneer

#### Style:

Recessed flat panels

#### Glazing:

Clear flat safety glass

Fuji FD30: clear flat fire glass with raised beading

#### Construction:

Solid core construction

#### Other:

FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.





Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.









All these doors are

White, see Antigua, Barbados, Dominica, and Tobago on pages 102 & 103.

also available in

UNFI	NISHE	D*	
Size	(mm)		Code
1981	610	35	OETN20
1981	686	35	OETN23
1981	762	35	OETN26
1981	838	35	OETN29
1981	686	44	OETN23FD30 🌢
1981	762	44	OETN26FD30 🌢
1981	838	44	OETN29FD30 🌢



UNFI	NISHE	:D*	
Size (	(mm)		Code
1981	762	35	OETNBF26

Eiger









UNFINISHED\*

UNFI	NISHE	Đ*		UNFI	NISHE	ED*		
Size	(mm)		Code	Size	(mm)		Code	
1981	610	35	OEIG20	1981	686	35	OMAT23	
1981	686	35	OEIG23	1981	762	35	OMAT26	
1981	762	35	OEIG26	1981	838	35	OMAT29	
1981	838	35	OEIG29					
1981	686	44	OEIG23FD30 🍑					
1981	762	44	OEIG26FD30 🎍					
1981	838	44	OEIG29FD30 🍑					

1981 686 35 OFUJ23 1981 762 35 OFUJ26 1981 838 35 OFUJ29 UNFINISHED\* Size (mm) Code

1981 686 44 OFUJ23FD30 🍑 1981 762 44 OFUJ26FD30 🌢 1981 838 44 OFUJ29FD30 🌢

Finished available to

1981 762 35 OFUJBF26

VI View in our Door Visualiser

UNFINISHED\*

56 T: 01283 554197 www.jbkind.com



Unfinished & finished oak veneer

#### Style:

Grooved panels are full door thickness

1 Light: Clear flat safety glass with etched lines 1 Light FD30: clear fire glass with etched lines and raised beading

#### Construction:

Solid core construction

#### Other:

18mm long edge lippings

#### ♦ FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

#### Thames
















UNFIN	NISHE	D		FINIS	HED		
Size (	mm)		Code	Size (	mm)		Code
1981	457	35	OTHA16	1981	457	35	VOTHA16
1981	533	35	OTHA19	1981	533	35	VOTHA19
1981	610	35	OTHA20	1981	610	35	VOTHA20
1981	686	35	OTHA23	1981	686	35	VOTHA23
1981	711	35	OTHA24	1981	711	35	VOTHA24
1981	762	35	OTHA26	1981	762	35	VOTHA26
1981	838	35	OTHA29	1981	838	35	VOTHA29
2040	626	40	OTHA626	2040	626	40	VOTHA626
2040	726	40	OTHA726	2040	726	40	VOTHA726
2040	826	40	OTHA826	2040	826	40	VOTHA826
2040	926	40	OTHA926	2040	926	40	VOTHA926
1981	610	44	OTHA20FD30 🍑	1981	610	44	VOTHA20FD30
1981	686	44	OTHA23FD30	1981	686	44	VOTHA23FD30
1981	762	44	OTHA26FD30	1981	762	44	VOTHA26FD30
1981	838	44	OTHA29FD30	1981	838	44	VOTHA29FD30
2040	726	44	OTHA726FD30 🍑	2040	726	44	VOTHA726FD30
2040	826	44	OTHA826FD30 🍑	2040	826	44	VOTHA826FD30
2040	926	44	OTHA926FD30 🍑	2040	926	44	VOTHA926FD30



Thames 1 Light



FD30






Size (	mm)		Code
1981	610	35	OTHA1L20*
1981	686	35	OTHA1L23
1981	762	35	OTHA1L26
1981	838	35	OTHA1L29
2040	626	40	OTHA1L626
2040	726	40	OTHA1L726
2040	826	40	OTHA1L826
FINIS	HED		
1981	686	35	V0THA1L23
1981	762	35	V0THA1L26
1981	838	35	VOTHA1L29
2040	626	40	VOTHA1L626
2040	726	40	VOTHA1L726
2040	826	40	VOTHA1L826



NFINISHED	UNFINISHED*
ze (mm) Code	Size (mm) Code
81 610 35 OTHA1L20°	1981 686 44 OTHA1L23FD30
81 686 35 OTHA1L23	1981 726 44 OTHA1L26FD30
81 762 35 OTHA1L26	1981 838 44 OTHA1L29FD30 🍑
81 838 35 OTHA1L29	
040 626 40 OTHA1L626	
040 726 40 OTHA1L726	
040 826 40 OTHA1L826	
NISHED	<ul> <li>Finished available</li> </ul>
81 686 35 VOTHA1L23	to order
81 762 35 VOTHA1L26	. Bespoke options
81 838 35 VOTHA1L29	
040 626 40 VOTHA1L626	VI View in our Door Visualiser
040 726 40 VOTHA1L726	Option for PAS 24,
040 826 40 VOTHA1L826	Option for PAS 24,

see page 132





Unfinished & finished oak veneer

#### Style:

Grooved panels are full door thickness

#### Glazing:

6 Light: Clear flat safety glass 1/2 light: Clear flat safety glass with etched lines

#### Construction:

Solid core construction

#### Other:

18mm long edge lippings Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



UNFI	NISHE	D	
Size (	(mm)		Code
1981	686	35	OTHA6L23
1981	762	35	OTHA6L26
1981	838	35	OTHA6L29
2040	626	40	OTHA6L626*
2040	726	40	OTHA6L726*
2040	826	40	OTHA6L826*
FINIS	HED		
1981	686	35	VOTHA6L23
1981	762	35	VOTHA6L26
1981	838	35	VOTHA6L29

#### Thames 6 Light





NFINISHED							
ize	(mm)		Code				
981	686	35	OTHAVL23				
981	762	35	OTHAVL26				
981	838	35	0THAVL29				
INIS	HED						
981	686	35	VOTHAVL23				
981	762	35	VOTHAVL26				
981	838	35	VOTHAVL29				

#### Thames Bi-fold



UNFINISHED*	
Size (mm) Code	
1981 762 35 OTHABF26	
Easy to install into existing flush li	ning
(without door stop). Supplied read	dy
hinged with pivots, brackets and a	э
sliding track. Please note that the	
door opening size is listed and that	at
the actual bi-fold supplied is sligh	tly
smaller to accommodate tracking	

#### Finish:

Prefinished oak veneer

#### Style:

Full length vertical grooves

#### Glazing:

Clear flat safety glass with raised beading

#### Construction:

Solid core construction

#### Other:

→ Certifire FD30 Fire doors



Add the finishing touch.. see page 124

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

\* Finished available to order

#### Cherwell



Cherwell Glazed



Bespoke options

1981	610	35	VOCHE20
1981	686	35	VOCHE23
1981	762	35	VOCHE26
1981	838	35	VOCHE29
1981	686	44	VOCHE23FD30
1981	762	44	VOCHE26FD30

1981 838 44 VOCHE29FD30

FINISHED

1981 838 35 VOCHE29G Glazed fire doors available to order.

60 www.jbkind.com T: 01283 554197



Panelled doors: Finished oak veneer Ledged: Unfinished oak face

#### Style:


Natural knotty appearance 4 Panel/DX: recessed flat panels Ledged: individual planks fixed with ledges

#### Glazing:

4 Panel: Clear flat safety glass DX: Opaque flat safety glass

#### Construction:

Solid core construction





#### Rustic Oak 4 Panel



#### Rustic Oak 4 Panel Glazed



### Vi

FINISHED							
(mm)		Code					
610	35	RO4P20					
686	35	RO4P23					
762	35	RO4P26					
838	35	RO4P29					
	(mm) 610 686 762	(mm) 610 35 686 35 762 35	(mm) Code				

## FINISHED

Size	(mm)		Code
1981	762	35	RO4P2TL26

#### Rustic Oak DX



## Vi

FINIS	HED		
Size	(mm)		Code
1981	610	35	RODX20
1981	686	35	RODX23
1981	762	35	RODX26
1001	070	75	DODV20

#### Rustic Oak DX Glazed



Finished available to

Vi View in our Door Visualiser

## Rustic Oak Ledged



#### Back view



Size	(mm)		Code	
1981	610	35	RODX20	
1981	686	35	RODX23	
1981	762	35	RODX26	
1981	838	35	RODX29	

#### FINISHED

Size	(mm)		Code
1981	762	35	RODXTL26

#### Back view with braces



If you wish to create a Ledged and Braced style, the Braces are available separately.

40mm thickness = 20mm plank + 20mm ledge



UNFINISHED \*

1981 686 40 ROLED23

LEDGED BRACE PACK (2 PER PACK) 1000 120 15 ROLEDBRPACK

63

1981 838 40 ROLED29 1981 838 40 ROLED29







Finished walnut veneer

#### Style:

5 ladder style panels, grooved into real

#### Glazing:

Clear flat safety glass with raised beading

#### Construction:

Solid core construction

#### Other:

Certifire FD30 Fire doors

All fire doors are solid core construction



Timber veneers are a natural material and variations in the

colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system

see page 118

Tigris Walnut



#### FINISHED

Size	(mm)		Code
1981	610	35	WTIG20
1981	686	35	WTIG23
1981	762	35	WTIG26
1981	838		WTIG29
1981	686		WTIG23FD30
1981	762		WTIG26FD30
1981	838	44	WTIG29FD30

Add the finishing touch... see page 124

#### Tigris Walnut





Tigris and Emral are available in Oak and White, see pages 37 & 87.



Laminate versions are available in Dark Grey, Light Grey and Ivory, see pages 29 & 27.









#### FINISHED

Size	(mm)		Code	
1981	686	35	WEMR23	
1981	762	35	WEMR26	
1981	838	35	WEMR29	
Glaze	ed fire	doo	rs available	
to or	der.			

. Bespoke options









Finished walnut veneer

#### Style:

3 ladder style panels, grooved into MDF

#### Glazing:

Clear flat safety glass with flush beading

#### Construction:

Semi-solid core construction


#### Other:

FD30 Fire doors

All fire doors are solid core construction



Add the finishing touch... see page 124 \_




#### Mistral Walnut



Mistral Walnut is available in Oak and White, see pages 39 & 89.







1981 762 44 WMIS26FD30 🍑 1981 838 44 WMIS29FD30 0 2040 726 44 WMIS726FD30 2040 826 44 WMIS826FD30 0 2040 926 44 WMIS926FD30

#### Mistral Walnut Glazed







FINISHED				
Size (	mm)		Code	
1981	686	35	WMIS23G	
1981	762	35	WMIS26G	
1981	838	35	WMIS29G	
2040	626	40	WMIS626G	
2040	726	40	WMIS726G	
2040	826	40	WMIS826G	
Glazed fire doors with raised beading available to				

Bespoke options



Option for PAS 24, see page 132





Finished walnut veneer

#### Style:

Wide shaker panel design

#### Glazing:

Clear flat safety glass

#### Construction:

Solid core construction

#### Other:

♦ FD30 Fire doors

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



#### Add the finishing touch... see page 124

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are

representative only.

FINIS	HED		
Size	(mm)		Code
1981	610	35	VWAXI20
1981	686	35	VWAXI23
1981	762	35	VWAXI26
1981	838	35	VWAXI29
1981	686	44	VWAXI23FD30
1981	762	44	VWAXI26FD30
1981	838	44	VWAXI29FD3O 🎍

Axis is available in Oak and White, see pages 53 & 95.



#### Axis Walnut



#### Axis Walnut Glazed



FINIS	HED			
Size	(mm)		Code	
1981	686	35	VWAXI23G	
1981	762	35	VWAXI26G	
1981	838	35	VWAXI29G	

#### Finish:

Finished walnut veneer

### Style:

Fernor/Franquette: Flush horizontal grained veneer Lara/Parisienne: 5 horizontal grained panels grooved into real wood

#### Glazing:

Clear flat safety glass with raised beading

#### Construction:

Fernor & Franquette: Standard core construction

Lara & Parisienne: Semi-solid core construction

#### Other:

Certifire FD30 Fire doors

All fire doors are solid core construction

Matching door pairs cannot be guaranteed

Bespoke options

Option for PAS 24, see page 132

#### Fernor





Size	(mm)		Code	
1981	610	35	WFER20	
1981	686	35	WFER23	
1981	762	35	WFER26	
1981	838		WFER29	
1981	610	44	WFER20FD30	
1981	686	44	WFER23FD30	
1981	762	44	WFER26FD30	
1981	838	44	WFER29FD30	

#### Franquette





	FINIS	HED			
	Size	(mm)		Code	
	1981	686	35	WFRA23	
	1981	762	35	WFRA26	
	1981	838	35	WFRA29	
) 🎍	Glaze to or		doo	rs available	
) 🎍					

#### Lara





**O**\_\_\_\_

FINISHED					
Size	(mm)		Code		
1981	610	35	WLAR20		
1981	686	35	WLAR23		
1981	762	35	WLAR26		
1981	838	35	WLAR29		
1981	610	44	WLAR20FD30		
1981	686	44	WLAR23FD30		
1981	762	44	WLAR26FD30		
1981	838	44	WLAR29FD30		

Glazed fire doors available to order.

70

71





Pintado Grey: Painted mid-grey finish with vertical grain

Ardosia Grey: Painted in a lighter grey finish with vertical grain

#### Style:

Pintado Grey: Plain flush

Ardosia Grey: Flush with grey coloured

#### Glazing:

Clear flat safety glass with raised beading

#### Construction:

Pintado Grey: Semi-solid core construction Ardosia Grey: Standard core construction

#### Other:

Certifire FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.

#### Pintado Grey







		_ `	_				
NISHED							
ze	(mm)		Code				
81	610	35	NGPINT20				
81	686	35	NGPINT23				
81	762	35	NGPINT26				
81	838	35	NGPINT29				
81	610	44	NGPINT20FD30				
81	686	44	NGPINT23FD30				
81	762	44	NGPINT26FD30 🍑				

Vi (1)

FINIS	SHED			FINIS
Size	(mm)		Code	Size (
1981	610	35	NGPINT20	1981
1981	686	35	NGPINT23	1981
1981	762	35	NGPINT26	1981
1981	838	35	NGPINT29	Glaze
1981	610	44	NGPINT20FD30	to ord
1981	686	44	NGPINT23FD30	
1981	762	44	NGPINT26FD30	
1981	838	44	NGPINT29FD30	

## 

FINISHED									
Size	(mm)		Code						
1981	686	35	NGPINT230						
1981	762	35	NGPINT260						
1981	838	35	NGPINT290						
Glazed fire doors available to order.									

## Ardosia Grey

Ardosia Grey Glazed



# **O**\_\_\_ **Vi (b)**

Size	(mm)		Code
1981	610	35	NARD20
1981	686	35	NARD23
1981	762	35	NARD26
1981	838	35	NARD29
1981	610	44	NARD20FD30
1981	686	44	NARD23FD30
1981	762	44	NARD26FD30
1981	838	44	NARD29FD30

## Ardosia Grey





		FINIS				
		FINIS	HED			
	Code	Size	(mm)		Code	
35	NARD20	1981	686	35	NARD23G	j
35	NARD23	1981	762	35	NARD260	ò
35	NARD26	1981	838	35	NARD290	ò
35	NARD29	Glaze	ed fire	doo	rs available	:
44	NARD20FD30	to or	der.			
44	NARD23FD30 🍑					
44	NARD26FD30					
4.4	NIA DDOOFDZO					

Bespoke options

View in our Door Visualiser Option for

PAS 24, see page 132



Painted oak colour effect with vertical grain

5 horizontal panels, grooved into MDF

#### Glazing:

Clear flat safety glass with raised beading

## Construction:

Standard core construction

#### Other:

Certifire FD30 Fire doors

All fire doors are solid core construction

If trimming is required the door edges will need retouching. See website for colour match information.





FINISHED

Size (mm) Code

1981 610 35 GTAT20

1981 686 35 GTAT23

1981 762 35 GTAT26

1981 838 35 GTAT29

1981 610 44 GTAT20FD30

1981 686 44 GTAT23FD30

1981 762 44 GTAT26FD30

1981 838 44 GTAT29FD30

#### Tate



#### Louvre







#### FINISHED Size (mm) Code 1981 686 35 GLOU23 35 GLOU26 1981 762 35 GLOU26 35 GLOU29 Glazed fire doors available to order.

Add the finishing touch...


see page 124



- Matching door pairs cannot be guaranteed
- Bespoke options







## WHITE CLASSIC

#### Finish

White primed

#### Style:

Flat panels with decorative flush mouldings

#### Glazing:

Clear flat safety glass

Belton Etched: inner etched panel with a clear perimeter

#### Construction:

Solid core construction

#### Other:

♦ FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.



Add the finishing touch... see page 124



#### Belton

Vi 💸

| Size (mm) | Code | 1981 | 610 | 35 | SBEL20 | 1981 | 686 | 35 | SBEL23 | 1981 | 762 | 35 | SBEL26 | 1981 | 838 | 35 | SBEL29 | 1981 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 638 | 63

610 44 SBEL20FD30

1981 686 44 SBEL23FD30 762 44 SBEL26FD30 🌢

PRIMED

## Belton Clear Glazed





Vi 💸

PRIMED







 
 Size (mm)
 Code

 1981 610 35 SBEL1L20
 35 SBEL1L23


 1981 686 35 SBEL1L23
 35 SBEL1L23

 1981 762 35 SBEL1L26
 1981 838 35 SBEL1L29



Size	(mm)		Code
1981	686	35	SBEL1LETC23
1981	762	35	SBEL1LETC26
1981	838	35	SBEL1LETC29

Colour Options Service





White primed

#### Style:

Flat panels with decorative flush mouldings

Clear flat safety glass

#### Construction:

Solid core construction

#### Other:

FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.





۷.	
RIME	D
ize (r	nm)

1981	610	35	SCAT20
1981	686	35	SCAT23
1981	762	35	SCAT26
1981	838	35	SCAT29
1981	610	44	SCAT20FD30
1981	686	44	SCAT23FD30
1981	762	44	SCAT26FD30
1981	838	44	SCAT29FD30

#### Catton



#### Catton Glazed







# PRIMED Size (mm)

1981	610	35	SCAT3L20
1981	686	35	SCAT3L23
1981	762	35	SCAT3L26
1981	838	35	SCAT3L29

Add the finishing touch... see page 124 🛌









.

Make a statement with

a pocket door



White primed

#### Style:

Flat panels with decorative flush mouldings

#### Construction:

Solid core construction

#### Other:

FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.





#### Osborne



#### Hardwick







PRIM	PRIMED								
Size	(mm)		Code						
1981	610	35	SHAR20						
1981	686	35	SHAR23						
1981	762	35	SHAR26						
1981	838	35	SHAR29						
1981	610	44	SHAR20FD30						
1981	686	44	SHAR23FD30 🎍						
1981	762	44	SHAR26FD30						
1981	838	44	SHAR29FD30						

Add the finishing touch... see page 124 🕿







T: 01283 554197



## **Colour Options** Paint Service

Contact us with your preferred RAL Classic colour reference and we'll do the rest!



## WHITE CONTEMPORARY

#### Finish:

Finished white

#### Style:

5 ladder style panels, grooved into MDF

Clear flat safety glass with flush beading

#### Construction:

Standard core construction

#### Other:

Certifire FD30 Fire doors

All fire doors are solid core construction Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time. Contact us for fire door options.




Add the finishing touch...

see page 124



#### Tigris White





FINIS	HED		
Size	(mm)		Code
1981	610	35	LTIG20
1981	686	35	LTIG23
1981	762	35	LTIG26
1981	838	35	LTIG29
1981	610	44	LTIG20FD30
1981	686	44	LTIG23FD30
1981	762	44	LTIG26FD30
1981	838	44	LTIG29FD30

#### Emral White

Emral White

are available in Dark Grey, Light Grey and



#### Tigris White Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.





FINIS	HED			
Size (	(mm)		Code	
1981	686	35	LEMR23G	
1981	762	35	LEMR26G	
1981	838	35	LEMR29G	
Glaze	d fire	doo	rs with raised	
haadi	na av	ailah	le to order	

FINIS	HED			
Size	(mm)		Code	
1981	762	35	LTIGBF26	

Bespoke options



Option for PAS 24, see page 132



## WHITE CONTEMPORARY

#### Finish:

White primed

#### Style:

3 ladder style panels, grooved into MDF

Clear flat safety glass with flush beading

#### Construction:

Standard core construction

#### Other:

FD30 Fire doors

All fire doors are solid core construction FSC® Certified

Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time. Contact us for fire door options.



#### Mistral White









PRIMI	ΕD		
Size (	mm)		Code
1981	610	35	LMIS20
1981	686	35	LMIS23
1981	762	35	LMIS26
1981	838	35	LMIS29
2040	526	40	LMIS526
2040	626	40	LMIS626
2040	726	40	LMIS726
2040	826	40	LMIS826
1981	686	44	LMIS23FD30
1981	762	44	LMIS26FD30 🍑
1981	838	44	LMIS29FD30
2040	726	44	LMIS726FD30 🍑
2040	826	44	LMIS826FD30
2040	926	44	LMIS926FD30 🍑



Mistral White Glazed



#### Mistral White Bi-fold



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.





PRIME			0 - 1 -
Size (			Code
1981	686	35	LMIS23G
1981	762	35	LMIS26G
1981	838	35	LMIS29G
2040	626	40	LMIS626G
2040	726	40	LMIS726G
2040	826	40	LMIS826G
Glaze	d fire	doo	rs with raise
beadi	na av	ailab	le to order.

PRIMED Mistral White Bi-fold is also 1981 762 35 LMISBF26 available in Oak, see page 39.




Add the finishing touch...

see page 124



. Bespoke options



Option for PAS 24, see page 132



## WHITE CONTEMPORARY

#### Finish:

White primed

#### Style:

Apollo/Barbican: MDF face with ladder style feature grooves

Savoy/Phoenix: Grooved cottage style central panel

#### Glazing:

Barbican: Etched flat safety glass with clear rectangular pattern and raised beading Phoenix: Clear flat safety glass with raised beading

#### Construction:

Apollo & Barbican: Standard core construction Savoy & Phoenix: Semi-solid core construction

#### Other:

FD30 Fire doors

All fire doors are solid core construction

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time. Contact us for fire door options.



#### Apollo





PRIMED						
Size	(mm)		Code			
1981	610	35	LAPO20			
1981	686	35	LAPO23			
1981	762	35	LAPO26			
1981	838	35	LAPO29			
1981	610	44	LAPO20FD30 🎍			
1981	686	44	LAPO23FD30 🍑			
1981	762	44	LAPO26FD30 🍑			
1981	838	44	LAPO29FD30 🍑			

#### Barbican



PRIMED							
Size	(mm)		Code				
1981	686	35	LBAR23				
1981	762	35	LBAR26				
1981	838	35	LBAR29				
1981	762	44	LBAR26FD30	Ì			
1981	838	44	LBAR29FD30	l			

Add the finishing touch...

Savoy

see page 124



View in our Door Visualiser

Option for PAS 24, see page 132

## Phoenix






Savoy

PRIMED						
Size	(mm)		Code	5		
1981	610	35	LSAV20	1		
1981	686	35	LSAV23	1		
1981	762	35	LSAV26	1		
1981	838	35	LSAV29			
1981	610	44	LSAV20FD30 🍑			
1981	686	44	LSAV23FD30 🎍			
1981	762	44	LSAV26FD30			
1981	838	44	LSAV29FD30 🍑			

RIMED						
ize	(mm)		Code			
981	686	35	LPHO23			
981	762	35	LPHO26			
981	838	35	LPHO29			





Adelphi/Dominion: White primed Elektra/Lyric/Novello: Finished white

#### Style:

MDF face with feature grooves

#### Glazing:

Dominion: Etched flat safety glass with clear rectangular pattern and raised beading

#### Construction:

Standard core construction

#### Other:

Certifire FD30 Fire doors

FD30 Fire doors

All fire doors are solid core construction FSC® Certified (Adelphi and Dominion only) Rebated door pairs can be ordered from stock (not bi-fold or fire doors) with a short lead time.



Matching door pairs cannot be guaranteed

Bespoke options

## Adelphi



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



-	М		
MED	)		

Size	(mm)		Code
1981	610	35	LADE20
1981	686	35	LADE23
1981	762	35	LADE26
1981	838	35	LADE29
1981	686	44	LADE23FD30
1981	762	44	LADE26FD30
1981	838	44	LADE29FD30

#### PRIMED Size (mm) Code 1981 762 35 LADEBF26

Adelphi Bi-fold

# Dominion



M									
PRIM	1ED				FINIS	HED			
Size	(mm)		Code		Size	(mm)		Code	
1981	686	35	LDOM23		1981	610	35	LELE20	
1981	762	35	LDOM26		1981	686	35	LELE23	
1981	838	35	LDOM29		1981	762	35	LELE26	
1981	762	44	LDOM26FD	30 🎍	1981	838	35	LELE29	
1981	838	44	LDOM29FD	30 🍑	1981	686	44	LELE23F	-[
					10.01	762	11	1 01 0260	=1

1981 686 44 LELE23FD30 d

1981 762 44 LELE26FD30 🌢

1981 838 44 LELE29FD30

# Elektra

FINISHED

 Size (mm)
 Code

 1981 610 35 LLYR20

 1981 686 35 LLYR23

 1981 762 35 LLYR26

 1981 838 35 LLYR26

1981 686 44 LLYR23FD30 🌢

1981 762 44 LLYR26FD30 🍑

1981 838 44 LLYR29FD30 🍑

Lyric





Add the finishing touch... see page 124



FINIS	HED		
Size	(mm)		Code
1981	610	35	LNOV20
1981	686	35	LNOV23
1981	762	35	LNOV26
1981	838	35	LNOV29
1981	762	44	LNOV26FD30
1981	838	44	LNOV29FD30

92 93 www.jbkind.com T: 01283 554197



White primed

#### Style:

Wide shaker panel design

Axis Ripple: Textured ripple effect centre panel

#### Glazing:

Clear flat safety glass

#### Construction:

Semi-solid core construction Bi-folds: Solid core construction

#### Other:

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.





















Axis White

Vi

statement with

a pocket door

Axis White

PRIMED						
ize	(mm)		Code			
981	610	35	SAXI20			
981	686	35	SAXI23			
981	762	35	SAXI26			
981	838	35	SAXI29			



PRIM	IED			PRIM	ED		
Size	(mm)		Code	Size	(mm)		Code
1981	686	35	SAXI23G	1981	610	35	SAXIRIP2
1981	762	35	SAXI26G	1981	686	35	SAXIRIP2
1981	838	35	SAXI29G	1981	762	35	SAXIRIP2
				1981	838	35	SAXIRIP2

1981 762 35 SAXIBF26 1981 762 35 SAXIBFG26

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.

Axis White is also available in Oak and Walnut, see pages 53 & 70.









PRIMED







White primed

Style:

Geometric hexagonal design

Glazing:

Clear flat safety glass

Construction:

Solid core construction

Other:

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time



Add the finishing touch...

see page 124



#### Quartz





Quartz Glazed

Vi PRIMED

 Size (mm)
 Code

 1981 686 35 CQTZ23
 1981 762 35 CQTZ26

 1981 838 35 CQTZ29



 PRIMED

 Size (mm)
 Code

 1981
 686
 35
 CQTZ23G

 1981
 762
 35
 CQTZ26G

 $\begin{tabular}{c} \begin{tabular}{c} \begin{tabu$ 









Quartz Glazed





White primed

#### Style:

Retro sunshine door

#### Glazing:

Clear or etched flat safety glass

#### Construction:

Solid core construction

#### Other:

FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time. Aurora Etched Glazed is not suitable as a door pair.



 $Add\ the\ finishing\ touch...$ 

see page 124



#### Aurora



ΙM	ED			
е	(mm)		Code	
31	686	35	CAUR23	
31	762	35	CAUR26	
31	838	35	CAUR29	



Aurora Etched Glazed



Aurora Etched Glazed



Aurora Etched Glazed has opaque etched glass





PRIMED		PRIM	ED		
Size (mm)	Code	Size	(mm)		Code
1981 610 35	CAUR20G	1981	686	35	CAUR23ETCG
1981 686 35	CAUR23G	1981	762	35	CAUR26ETCG
1981 762 35	CAUR26G				

Vi View in our Door Visualiser





White primed

#### Style:

Recessed flat panels

#### Glazing:

Clear flat safety glass

#### Construction:

Semi-solid core construction

#### Other:

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.





Geo

Geo Glazed



PRIMED

 Size (mm)
 Code

 1981
 686
 35
 SGEO23G

 1981
 762
 35
 SGEO26G

 1981
 838
 35
 SGEO29G

#### PRIMED

Size	(mm)		Code	
1981	610	35	SGEO20	
1981	686	35	SGEO23	
1981	762	35	SGEO26	
1001	070	75	CCEO20	

Add the finishing touch...

see page 124









White primed

#### Style:

Recessed flat panels

#### Glazing:

Clear flat safety glass

#### Construction:

Solid core construction

#### Other:

FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



All these doors are also available in Oak, see pages 55-57.



#### Rushmore White



Vi

PRIMED

 Size (mm)
 Code

 1981 610 35 CRUS20
 35 CRUS23

 1981 686 35 CRUS23
 1981 762 35 CRUS26

 1981 838 35 CRUS29
 1981 CRUS29

1981 686 44 CRUS23FD30 🍑

1981 762 44 CRUS26FD30 🌢


1981 838 44 CRUS29FD30 0



PRIMED

1981 762 35 CRUSTL26





#### Dominica



## PRIMED

1981 610 35 CBAR20 1981 686 35 CBAR23 1981 762 35 CBAR26 1981 838 35 CBAR26 1981 686 44 CBAR23FD30 è 1981 762 44 CBAR26FD30 🌢 1981 838 44 CBAR29FD30 🍑



PRIMED

1981 686 35 CDOMI23 1981 762 35 CDOMI26 1981 838 35 CDOMI29

#### Antigua





#### Vi

PRIM	ED		
Size	(mm)		Code
1981	610	35	CANTI20
1981	686	35	CANTI23
1981	762	35	CANTI26
1981	838	35	CANTI29
1981	686	44	CANTI23FD30 🍑
1981	762	44	CANTI26FD30 🍑
1981	838	44	CANTI29FD30

#### Tobago



## Tobago FD30 fire door



Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



PRIMED
Size (mm) Code
1981 686 35 CTOB23
1981 762 35 CTOB26
1981 838 35 CTOB29
1981 762 44 CTOB26FD30 🌢
1981 838 44 CTOB29FD30 🌢

#### Antigua Bi-fold



#### Tobago Bi-fold



PRIM	ED		
Size	(mm)		Code
1981	762	35	CANTIBE2

PRIMED 1981 762 35 CTOBBF26



102 www.jbkind.com T: 01283 554197

## WHITE SHAKER

Cayman

#### Finish:

White primed

#### Style:

Recessed flat panels

Jamaica/Trinidad: includes decorative muntins.

#### Glazing:

Clear flat safety glass

#### Construction:

Solid core construction

#### Other:

FD30 Fire doors

FSC® Certified

Rebated door pairs can be ordered from stock (not fire doors or bi-folds) with a short lead time.



Add the finishing touch...

see page 124



#### Jamaica



PRIM	ED		
Size	(mm)		Code
1981	610	35	CJAM20
1981	686	35	CJAM23
1981	762	35	CJAM26
1981	838	35	CJAM29
1981	686	44	CJAM23FD30
1981	762	44	CJAM26FD30 🍑
1981	838	44	CJAM29FD30 🍑

Make a statement with a pocket door

system

Jamaica



Jamaica, Trinidad, Montserrat and Cayman are also available in Oak, see Eden, Darwen, Snowdon & Nevis on pages 49 & 55.

Size	(mm)		Code
1981	686	35	CTRI23
1981	762	35	CTRI26
1981	838	35	CTRI29

#### VI View in our Door Visualiser

#### Montserrat



_	
_	
_	
_	
_	
*	

PRIMED					
Size	(mm)		Code		
1981	610	35	CMON20		
1981	686	35	CMON23		
1981	762	35	CMON26		
1981	838	35	CMON29		
1981	610	44	CMON20FD30		
1981	686	44	CMON23FD30		
1981	762	44	CMON26FD30		
1981	838	44	CMON29FD30		

## Vi

		PRIM	ED			
	Code	Size	(mm)		Code	
35	CMON20	1981	686	35	CCAY23	
35	CMON23	1981	762	35	CCAY26	
35	CMON26	1981	838	35	CCAY29	
35	CMON29					
44	CMON20FD30					

#### Montserrat Bi-fold



1981 762 35 CMONBF26

PRIMED

1	

Cayman Bi-fold

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots,

1981 762 35 CCAYBF26

PRIMED

bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking.



## WHITE MOULDED

#### Finish:

Cottage: White primed, grained effect

Quattro/4 Line Horizontal: White primed, smooth effect

#### Style:

Moulded panel

#### Glazing:

Clear flat safety glass with flush beading Cottage 1 Light: clear with etched lines

#### Construction:

Standard core construction

Add the finishing touch...

#### Other:

FD30 Fire doors

All fire doors are semi-solid core construction

FSC® Certified

see page 124


## **C**■ lour Options

Contact us with your

# **Paint Service**

preferred RAL Classic colour reference and we'll do the rest!

#### 4 Line Horizontal



#### PRIMED SMOOTH

M

Size	(mm)		Code
1981	610	35	PAT20
1981	686	35	PAT23
1981	762	35	PAT26
1981	838	35	PAT29
1981	610	44	PAT20FD30 🎍
1981	686	44	PAT23FD30 🍑
1981	762	44	PAT26FD30 🍑
1981	838	44	PAT29FD30 🍑

## М


#### PRIMED SMOOTH

1981 762 35 PAT26G

Matching door pairs cannot be guaranteed

(a) Option for PAS 24, see page 132

Colour Options Service (not suitable for smooth finish doors)



#### Cottage 1 Light





#### PRIMED GRAINED

Size	(mm)		Code
1981	610	35	MCOT520
1981	686	35	MCOT523
1981	762	35	MCOT526
1981	838	35	MCOT529
1981	610	44	MCOT520FD30
1981	686	44	MCOT523FD30
1981	762	44	MCOT526FD30
1981	838	44	MCOT529FD30

#### PRIMED GRAINED

Size	(mm)		Code	
1981	610	35	MCOT51L20	
1981	686	35	MCOT51L23	
1981	762	35	MCOT51L26	
1981	838	35	MCOT51L29	

#### Quattro



#### Quattro Glazed

1981 762 35 QUA4L26 1981 838 35 QUA4L29





PRIMED SMOOTH	PRIMED SMOOTH
Size (mm) Code	Size (mm) Code
1981 610 35 QUA20	1981 686 35 QUA4L23

0120 1	( /		0000	
1981	610	35	QUA20	
1981	686	35	QUA23	
1981	711	35	QUA24	
1981	762	35	QUA26	
1981	838	35	QUA29	
1981	610	44	QUA20FD30	b
1981	686	44	QUA23FD30	b
1981	762	44	QUA26FD30	b
1981	838	44	QUA29FD30	b



White primed grained and smooth effect

## Style:

Moulded panel

#### Glazing:

Andorra: etched with clear rectangular pattern

Canterbury 2 Light & Bi-fold:

Grained: etched flat safety glass with clear diamond pattern lines and flush beading

Smooth: clear flat safety glass with flush beading Canterbury 2 Light FD30: Clear flat fire glass

PRIMED GRAINED

1981 610 35 CAP20

1981 686 35 CAP23

1981 762 35 CAP26 1981 838 35 CAP29

2040 726 40 CAP726

2040 826 40 CAP826

1981 610 44 CAP20FD30 6 1981 686 44 CAP23FD30 0

1981 762 44 CAP26FD30

1981 838 44 CAP29FD30

2040 726 44 CAP726FD30

2040 826 44 CAP826FD30

2040 926 44 CAP926FD30 0

#### Construction:

Standard core construction

#### Other:

FD30 Fire doors

with raised beading

All fire doors are semi-solid core construction apart from Canterbury 2 Light FD30 which is solid FSC® Certified

Colour Options Service (not suitable for smooth finish doors)

#### Caprice

#### Andorra



# PRIMED GRAINED 1981 686 35 CAPAND23 1981 762 35 CAPAND26 1981 838 35 CAPAND29

#### Canterbury



PRIMED GRAINED

1981 610 35 CAN20

1981 711 35 CAN24

1981 838 35 CAN29

2032 813 35 CAN28

2040 626 40 CAN626

2040 726 40 CAN726 2040 826 40 CAN826

1981 610 44 CANHH20

1981 686 44 CANHH23

1981 762 44 CANHH26

1981 838 44 CANHH29

2032 813 44 CANHH28 •

2040 726 44 CANHH726 è

2040 826 44 CANHH826 0

2040 926 44 CANHH926 0

1981 610 35 SMCAN20

1981 686 35 SMCAN23 1981 762 35 SMCAN26

1981 838 35 SMCAN29

1981 610 44 SMCANHH20 d

1981 686 44 SMCANHH23

1981 711 44 SMCANHH24 🍑

1981 762 44 SMCANHH26 •

1981 838 44 SMCANHH29

2032 813 44 SMCANHH28 🍑 2040 926 44 SMCANHH926 de

PRIMED SMOOTH

Size (mm)


686 35 CAN23

762 35 CAN26



Canterbury





Canterbury


Glazed Bi-fold

# Canterbury Canterbury 2 Light FD30 2 Light




Smooth











## **Colour Options Paint Service**

Contact us with your preferred RAL Classic colour reference and we'll do the rest!



Canterbury

Bi-fold

	NAME OF THE PARTY				
PRIM	ED GF	RAIN	ED		
Size (	(mm)		Code		
1981	610	35	CANBF20		
1981	762	35	CANBF26		

PRIMED GRAINED 1981 762 35 CANBFGLT26

IMPORTANT:

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

109

Classique

Bi-fold



Faro FD30 has clear

flat fire glass with etched lines and

raised perimeter beading.

#### Finish:

White primed grained and smooth effect

#### Style:

Moulded panel

#### Glazing:

Faro: clear flat safety glass with flush beading Decima: clear bevelled safety glass with brushed chrome camings and raised perimeter beading Classique: clear flat safety glass with flush beading

#### Construction:

Standard core construction

#### Other:

FD30 Fire doors

All fire doors are semi-solid core construction, apart from Faro which is solid

FSC® Certified

Classique 6 Light Pairs: rebated meeting stiles, right hand open away

Add the finishing touch... see page 124



## Faro







762 44 CAPFAR26FD30 è

1981 838 44 CAPFAR29FD30 4

1981

١		

#### PRIMED GRAINED 1981 686 35 CCAPDEC23 1981 762 35 CCAPDEC26 1981 838 35 CCAPDEC29

#### Colonist



Colonist

PRIMED GRAINED 3 PANEL

1981 457 35 COL16

1981 533 35 COL19

2040 526 40 COL526

PRIMED SMOOTH 3 PANEL

1981 457 35 SMCOL16

1981 533 35 SMCOL19

Colonist Bi-fold


PRIMED GRAINED

1981 914 35

1981 762 35 COLBF26

COLBF30

3 panel










# Classique











1981 686 35 CLAGLS23

1981 762 35 CLAGLS26

1981 838 35 CLAGLS29

#### Classique 6 Light Pairs



PRIMED GRAINED 1981 1220 35 CLAGLSPR40

Bi-folds are easy to install into existing flush linings (without door stop). Supplied ready hinged with pivots, brackets and a sliding track. Please note that the actual bi-fold supplied is slightly smaller than the door size listed, to accommodate tracking

1981 610 35 CLABF20

1981 762 35 CLABF26



Colour Options Service (not suitable for smooth finish doors)


110 111 www.jbkind.com T: 01283 554197



## What makes our Veneered Flush range great value?

Constructed with a full timber frame (unlike alternatives on the market) both our standard and FD30 veneered flush doors are manufactured to a higher standard, plus they are priced more competitively.

#### Veneered Flush FD30 ♦ Fire Door Construction





Flax board Hardwood lippings to both long edges Double pine framing to leading and top edges -Wood veneered certifire MDF facings >

Option for PAS 24 Security Doorsets



**Option for PAS 24** fire resistant flat entrance door sets, see pages 132-133

## Bespoke options:

FD30 glazing service, special sizes and alternative veneers are available to order.

See our in-house FD30 Door Glazing video at www.youtube.com/c/JBKindLtd





Fully finished real wood veneers

Style:

Flush with a vertical grain

Glazing:

FD30 Glazing Service

Construction:

Standard core (solid core for FD30) Full timber framed construction

Ash

Other:

Certifire FD30 Fire doors



Oak

FINISHED

1981 x 762 x 35

1981 x 610 x 35 MOAK201 1981 x 686 x 35 MOAK231

1981 x 838 x 35 MOAK291 2040 x 726 x 40 MOAK726 2040 x 826 x 40 MOAK826 1981 x 610 x 44 KOAK202 1981 x 686 x 44 KOAK232 1981 x 762 x 44 KOAK262

1981 x 838 x 44 KOAK292 1981 x 915 x 44 KOAK302

1981 x 915 x 44 KOAK302 2032 x 813 x 44 KOAK282 2040 x 626 x 44 KOAK626 2040 x 726 x 44 KOAK726 2040 x 826 x 44 KOAK726

2040 x 926 x 44 KOAK926

MOAK261







FINISHED	
Size (mm)	Code
1981 x 533 x 35	MASH191
1981 x 610 x 35	MASH201
1981 x 686 x 35	MASH231
1981 x 762 x 35	MASH261
1981 x 838 x 35	MASH291
1981 x 610 x 44	KASH202
1981 x 686 x 44	KASH232
1981 x 762 x 44	KASH262
1981 x 838 x 44	KASH292
1981 x 915 x 44	KASH302
2032 x 813 x 44	KASH282
2040 x 726 x 44	KASH726 삳
2040 x 826 x 44	KASH826 🍑
2040 x 926 x 44	KASH926



Size (mm)	Code
1981 x 610 x 35	MWAL201
1981 x 686 x 35	MWAL231
1981 x 762 x 35	MWAL261
1981 x 838 x 35	MWAL291
1981 x 686 x 44	KWAL232
1981 x 762 x 44	KWAL262
1981 x 838 x 44	KWAL292



FINISHED	
Size (mm)	Code
1981 x 686 x 44	KBEE232
1981 x 762 x 44	KBEE262
1981 x 838 x 44	KBEE292
2040 x 826 x 44	KBEE826
2040 x 926 x 44	KBEE926

Add the finishing touch... see page 124 🚑



Option for PAS 24 Security Doorsets Option for PAS 24 fire resistant flat entrance door sets, see pages 132-133

Bespoke options

Option for PAS 24, see page 132





Size (mm)	Code
1981 x 381 x 35	MSAP131
1981 x 457 x 35	MSAP161
1981 x 533 x 35	MSAP191
1981 x 610 x 35	MSAP201
1981 x 686 x 35	MSAP231
1981 x 711 x 35	MSAP241
1981 x 762 x 35	MSAP261
1981 x 838 x 35	MSAP291
1981 x 915 x 35	MSAP301
2032 x 813 x 35	MSAP281
2040 x 726 x 40	MSAP726
2040 x 826 x 40	MSAP826
2040 x 926 x 40	MSAP926
1981 x 610 x 44	KSAP202
1981 x 686 x 44	KSAP232
1981 x 762 x 44	KSAP262
1981 x 838 x 44	KSAP292
1981 x 915 x 44	KSAP302
2032 x 813 x 44	KSAP282
2040 x 726 x 44	KSAP726
2040 x 826 x 44	KSAP826
0040 000 44	1/0 4 0000

2040 x 926 x 44 KSAP926 0




## Glazed FD30 & Part M (mobility) compliant options

Any of our Warringtonfire Certifire certificated flush door designs can be adapted into an apertured fire door. Our in-house service is prompt and economical, guaranteeing correct assembly. Flush doors with FD30 apertures must be supplied ready glazed to comply with our Certifire certification. Aperture cutting by a third party may invalidate the original door certification.

#### Part M Mobility

Building Regulations Part M dictates the requirements for glazed doors in specific locations. The diagram offers general guidance but for specific information, please check the Building Regulations.



Do you need FD30 glazing? Call us for details on Tel: 01283 554197

Type 1G







please contact us with your requirements.

Type 11G



#### Finish:

Unfinished ready for painting

#### Style:

Flush paint grade

#### Glazing:

FD30 Glazing Service

Glazed Openings: FD30 wired glass (clear fire glass available to order)

Standard core (solid/tube core for FD30)

#### Other:

Certifire FD30 Fire doors



Paint Grade Flush Trade Value Plus+





UNFINISHED			
Size (mm)	Code	Size (mm)	Code
1981 x 381 x 35	NPLY131	1981 x 457 x 44	KINT162
1981 x 457 x 35	NPLY161	1981 x 533 x 44	KINT192
1981 x 533 x 35	NPLY191	1981 x 610 x 44	KINT202
1981 x 610 x 35	NPLY201	1981 x 686 x 44	KINT232
1981 x 686 x 35	NPLY231	1981 x 711 x 44	KINT242
1981 x 711 x 35	NPLY241	1981 x 762 x 44	KINT262
1981 x 762 x 35	NPLY261	1981 x 838 x 44	KINT292
1981 x 838 x 35	NPLY291	1981 x 915 x 44	KINT302
1981 x 915 x 35	NPLY301	2032 x 813 x 44	KINT282
2032 x 813 x 35	NPLY281	2040 x 526 x 44	KINT526
2040 x 526 x 40	NPLY526	2040 x 626 x 44	KINT626
2040 x 626 x 40	NPLY626	2040 x 726 x 44	KINT726
2040 x 726 x 40	NPLY726	2040 x 826 x 44	KINT826
2040 x 826 x 40	NPLY826	2040 x 926 x 44	KINT926
2040 x 926 x 40	NPLY926		

Add the finishing touch... see page 124

Option for PAS 24 Security Doorsets



Option for PAS 24 fire resistant flat entrance door sets, see pages 132-133

White Primed Interior Hardboard Flush

Paint Grade Flush Interior FD30 1 Glazed Opening

Paint Grade Flush Interior FD30 2 Glazed Openings







1981 x 686 x 44 KWPD232 1981 x 762 x 44 KWPD262 1981 x 838 x 44 KWPD292

PRIMED		UNFINISHED	
Size (mm)	Code	Size (mm)	Code
1981 x 457 x 35	NWPD161	1981 x 762 x 44	KIGO
1981 x 533 x 35	NWPD191	1981 x 838 x 44	KIGO
1981 x 610 x 35	NWPD201	2032 x 813 x 44	KIGO
1981 x 686 x 35	NWPD231		
1981 x 711 x 35	NWPD241		
1981 x 762 x 35	NWPD261		
1981 x 838 x 35	NWPD291		
2032 x 813 x 35	NWPD281		

	UNFINISHED				
Э	Size (mm)	Code			
)G26 🎍	1981 x 762 x 44	KINTT6G26			
)G29 🎍	1981 x 838 x 44	KINTT6G29			
)G28 🎍	2040 x 926 x 44	KINTT6G926			

Bespoke options

Option for PAS 24, see page 132

116 www.jbkind.com T: 01283 554197



A pocket door system that enables doors to slide conveniently into a wall cavity and save space whilst looking incredibly stylish.

Easy to install\* with a rigid frame, our pocket door systems are supplied pre-assembled so that they can be fitted in half the time of other brands.

Available for both single and double door situations in a selection of sizes, almost all of JB Kind's internal doors are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

#### Key features:

- Easy to install\* rigid frame, supplied pre-assembled
- · Fitted in half the time of other brands
- Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- · Compatible sliding door hardware available
- · Available in single and double format

\*We always recommend using a professional fitter.





## Pocket door cassette:


The cassette structure is made from 0.5mm galvanised steel, with the sides formed from single pieces of pressed steel which is corrugated for complete stability. Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette. The internal pocket cavity is protected by a cover during installation.

#### Spacer bars:


Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square.

## Specifications:






#### Single Pocket Door



#### **Double Pocket Door**



#### Single and Double Pocket Door - Size Guide

Door Size (individual)		Clear Opening Size (walkthrough area)		Structural Opening Size of the Unit			Finished Wall Thickness	
		Single	Double		Single	Double		
Width mm	Height mm	Width (OW)	Width (OW)	Height (OH)	Width (SW)	Width (SW)	Height (SH)	mm
686	1981	650	1300	1970	1425	2742	2075	125
762	1981	740	1500	1970	1625	3142	2075	125
838	1981	800	1600	1970	1725	3342	2075	125
915	1981	890	1800	1970	1925	3742	2075	125

#### Single Pocket Door System

#### Double Pocket Door Conversion Kit\*

Code	Door S	ize	Code	Single D	oor Size
(mm)	Width	Height	(mm)	Width	Height
POCSYSSGL686	686	1981	DBLLEAFKIT686	686	1981
POCSYSSGL762	762	1981	DBLLEAFKIT762	762	1981
POCSYSSGL838	838	1981	DBLLEAFKIT838	838	1981
POCSYSSGL 915	915	1981	DBLLEAFKIT915	915	1981

\*For a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. eg. 2 x POCSYSSGL686 and 1 x DBLLEAFKIT686

#### **Additional Accessories**



		Flush Door Pull Pack
ode		
CDAMPER	Soft close damper ur	nit
CLOSER	Automatic door close	er
IRCPULL	Flush Door Pull Pack	

SCDAMPER Soft close damper unit
ACLOSER Automatic door closer
CIRCPULL Flush Door Pull Pack (satin stainless steel, includes 2 circular flush pulls and a round finger pull for the door edge)
CIRCBATHLOCK Bathroom Door Hook Lock Pack (satin stainless steel, includes turn and release, hook latch, adjustable keep and finger pull)

## **Timber Accessory Kits**

Available in either white primed or varnished oak, Accessory Kits are required to complete pocket door installation.



#### Single pocket door kit (shown in oak) Includes: 2 x cover moulds with brush

DBLVOAC double pocket door kit

seals, header cover and jamb with seals
Code Oak Varnished
SGLVOAC single pocket door kit



# Double pocket door kit (shown as white primed)

Includes: 4 x cover moulds with brush seals and 2 x header covers

Code White Primed
SGLWPRIAC single pocket door kit
DBLWPRIAC double pocket door kit



# How to order a Pocket Door System: Your step by step guide

#### STEP 1

#### Single or Double Pocket Door System

Use our size guide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

#### STEP 2

#### Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

#### STEP 3

#### Timber accessory kits

You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for both single and double options.

#### STEP 4

#### **Door Grooving**

The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system.

If required, our in-house joinery workshop can pre-groove your doors prior to delivery, for a small charge.

#### STEP 5

#### Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

#### STEP 6

#### Door furniture

Choose from either a bathroom privacy lock or flush door pull.

#### STEP 7

#### Finding a JB Kind door supplier

Take a look at the Where to Buy section on our website for details of our online partners and builder merchant retailers.

Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call 01283 554197 or email info@jbkind.com

120 www.jbkind.com T: 01283 554197

# DOOR HANDLE PACKS Choose a style to suit your doors and interior

# **New Styles and New Colours**

# Door Handle Latch Packs are the perfect partner for your JB Kind Doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box.

Our handle packs are available in a variety of finishes and styles – from soft touch black, to smooth light and dark grey satin, to contemporary chrome and stainless steel – providing an affordable and quality range of designs.

#### 10 Year Guarantee

There's a 10 year parts and mechanism guarantee with all our handle packs.



# What's in the box?

All of our handle packs come with a pair of lever handles and three quality ball bearing hinges. Standard latch packs include a mortice latch and strike plate. Privacy latch packs come with a privacy latch, bathroom turn and release and strike plate.

#### Standard latch pack

## Privacy latch pack



**Please note:** i) Black door handles are supplied with matching black hinges and face plates. ii) the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.

Phoenix Black

Black powder coated soft touch finish



Raven Black Black matt finish



Boston Satin chrome with a polished chrome insert on the rose



Portland Satin and polished stainless steel finish



Phoenix Satin Satin stainless steel finish



Raven Polished Polished stainless steel finish



**Dallas** Satin and polished chrome finish



Seattle Satin and polished chrome finish



Austin Light Grey

Satin light grey finish with polished chrome



Austin Dark Grey Satin dark grey finish with polished chrome



Denver Light Grey Satin light grey finish with polished chrome



**Houston Light Grey** Satin light grey finish with polished chrome



Denver Dark Grey

Satin dark grey finish with polished chrome



Houston Dark Grey Satin dark grey finish with polished chrome





# Our External Extreme door range has revolutionised the replacement front door market!

Constructed with an exceptionally durable and dimensionally stable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, ensuring that the doors can withstand all weathers – and to illustrate just how confident we are, we issue every External Extreme door with a 10 year guarantee!

#### All External Extreme doors are:

- Weather resistant
- Supplied with a 10 year guarantee
- Suitable for fitting in a day!
- Supplied with a weather bar
- Perfect for over painting







Traditionally used for cladding and facias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use within the structure of external doors.



DURABLE

Longer lasting, perfect for external use



SUSTAINABLY SOURCED

FSC® Certified. Wood used from sustainable sources.



LOWER MAINTENANCE COSTS

Extended periods between exterior coatings maintenance.



PERFECT FOR COATING

Improved stability and durability enhances service life of the coating. Damaged coating will not affect the core.



ENHANCED STABILITY

Swelling and shrinking dramatically reduced.



RESISTANT TO FUNGAL DECAY Effective barrier to fungal decay

e barrier to fungal decay.



Finished white

#### Style:

Tigris: Grooved ladder style panels Thames: Grooved cottage style panels Colonial/2XG: Raised panels

#### Glazing:


Pilkington™ double glazed units Tigris/Colonial: opal flat glass Thames/2XG: clear flat glass

#### Other:

Composite core Weather bar included FSC® Certified







U Value 1.4 FINISHED Size (mm) 1981 838 44 EXTIG29 U Value 1.6 1981 838 44 EXTIG29G



U Value 1.4

FINISHED

1981 838 44 EXTHA29



U Value 1.6

1981 838 44 EXTHA29G



1981 838 44 EX4P29

Colonial 4 Panel



FINISHED

1981 838 44 EX4PTL29



FINISHED

 Size (mm)
 Code

 1981
 762
 44
 E2XG1P26G

 1981
 838
 44
 E2XG1P29G

128 129 www.jbkind.com T: 01283 554197



# Bespoke Options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at JB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

Many of our door designs have bespoke options available. Look out for the oicon adjacent to product images.



# Make your mark

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or painted finish, or maybe you would like to create a style that is completely unique and different?



Head to our website for more info jbkind.com/products/bespoke-door-options



# Made to measure

There are a wide range of standard door sizes available, however, sometimes you just cannot avoid an awkwardly sized door opening. Many of the doors from our collection can be produced to order as a special size.



# Bespoke glazing

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.



## Fire doors

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Supported by the appropriate accreditations, you can be safe and stylish.

# PAS 24 Security Doorsets

# Fully compliant PAS 24 fire resistant flat entrance door sets

We hold our own PAS 24 Enhanced Security and Certifire certification, having developed and tested a fully compliant door leaf. You can be assured that your doorsets will be manufactured to the highest quality – observing and adhering to the most recent performance and legislative requirements.









## Everything is covered with a JB Kind PAS 24 Security Fire Doorset

- PAS 24 Enhanced Security
- Certifire approved EI30 fire doors
- Acoustic rated
- Smoke control tested
- Fully assembled flat entrance doorsets
- Certified ironmongery with optional extras
- Flexible design and finish options
- Standard and bespoke sizes
- Matching interior doorsets





130



ACOUSTIC



SMOKE CONTROL





Suitable for flat and apartment entrances, JB Kind's PAS 24 security fire doorset service is tailored to each project's specific requirements. Door design choices are flexible with a selection of veneered, painted and primed finishes, available as plain flush or with various grooved design options.

All fire doors are third party Certifire approved by Warringtonfire with a fire rating of 30 minutes, EI30. As an additional benefit, the doorsets have also been successfully tested for both acoustic and smoke control.

The PAS 24 security fire doorsets are supplied pre-hung, complete with high quality fully tested ironmongery.

If you have an enquiry or would like to find out more about JB Kind's PAS 24 Security and/or Internal Doorset services please visit jbkind.com or contact our Sales team on O1283 554197 or info@jbkind.com.







# Colour Options Paint Service

## All the colours of the spectrum

Bring colour to your home and make a style statement by painting your doors any colour you like!

Painting doors can be fiddly and time consuming, so let us take the hassle away and arrange for your doors to be professionally spray painted prior to delivery. All you have to do is tell us your preferred RAL Classic colour and we will do the rest.

Our White Classic and White Moulded door ranges are suitable for this service – look out for the icon as you browse through the brochure.

# Caprice in RAL 7016 Anthracite Grey Osborne in RAL 1019 Grey Beige

## **BENEFITS**

#### Save time

No need to prepare (de-nib/sand) doors prior to painting and paint several coats on each side, allowing for drying time too!

## Cost saving

Eliminate the cost of purchasing paint and equipment, plus labour if you employ someone to do the job for you.

#### Perfect finish

Spray painting gives a smooth factory finish without brush marks or uneven coverage.


#### Colour choice

You really can have any colour on the RAL Classic spectrum. Even if you would like to paint your doors a shade of white, we will ensure they have the perfect finish.

#### Most popular RAL colours


The RAL Classic colour chart offers many different shades, so you should be able to find your perfect hue. As a guide, here are some of our customers favourites and you'll see that shades with a grey undertone are currently very popular.





9005 Jet Black


5011 Steel Blue



## **Rebated Door Pairs**

If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be made to order.



**Note:** A rebate adapter kit will be required when fitting ironmongery.

Doors that can be rebated into a pair from stock

Doors triat carries in	ebatea into a pair from stock
Range	Door Designs
Urban Industrial	All door designs
Oak Contemporary	Tigris Oak & Medina (sizes: 686, 762 & 838mm)
Oak Classic	Dove Pairs (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Thames + glazed partners (except fire doors & bi-fold)
Walnut	Axis
White Classic	All door designs (except fire doors)
White Contemporary	y All door designs. Contact us for fire door options
White Shaker	All door designs (except fire doors & bi-folds)
White Moulded	Classique 6 Light Pairs (ready rebated)

134 www.jbkind.com T: 01283 554197

## **Essential Door Care & Maintenance Advice**

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

#### Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any ioinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

#### Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

#### Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch/ locks etc. should be cut to the minimum recommended sizes. Panel door rail joints will be significantly weakened if mortises are located there. On completion remove doors, taking off all ironmongery and treat every cut/untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay attention to all edges of your door, particularly any exposed end grain where the propensity for moisture is much greater.

#### Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

#### Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our Finished doors should not be exposed to inappropriate damp site conditions.

#### External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully exposed to the worst elements of our climate. even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

#### **Quality standards**

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

To comply with building regulations all our pre-glazed doors meet the requirements of the British standards

#### **IMPORTANT**

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match.

Colours depicted are representative only and are reproduced as accurately as the printing process will allow.

# For a perfect finish...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

Please refer to www.wood-finishesdirect.com for more information and to purchase these products directly.

All-in-one solvent based, hard wax oil that dries to a natural, clear matt finish.







Clear, water based acrylic varnish that is ideal for wooden doors.

#### **INDEX - Doors & Accessories**

2XG Extreme	External Extreme	129
4 Line Horizontal / Glazed	White Moulded	107
Adelphi / Bi-fold	White Contemporary	92
Alabama Dark Grey / Glazed	Laminates	33
Alabama Light Grey / Glazed	Laminates	32
Andorra	White Moulded	108
Antigua / Bi-fold	White Shaker	103
Apollo	White Contemporary	91
Arden	Oak Classic	51
Ardosia Grey / Glazed	Painted Finish	75
Aurora / Glazed	White Shaker	99
Austin Light / Dark Grey	Door Handle Packs	125
Axis Oak / Glazed	Oak Shaker	53
Axis Ripple	White Shaker	95
Axis Walnut / Glazed	Walnut	70
Axis White / Glazed / Bi-folds	White Shaker	95
Barbados	White Shaker	102
Barbican	White Contemporary	91
Bela	Oak Contemporary	37
Belton / Glazed	White Classic	81
Blenheim	Oak Contemporary	45
Boston	Door Handle Packs	124
Canterbury / 2 Light / Bi-folds	White Moulded	109
Caprice	White Moulded	108
Catton / Glazed	White Classic	83
Cayman / Bi-fold	White Shaker	105
Charnwood	Oak Classic	51
Chartwell	Oak Contemporary	45
Cherwell / Glazed	Oak Cottage	61
Churnet	Oak Classic	47
City Black / Glazed	Urban Industrial	17
City White / Glazed	Urban Industrial	17
Civic Black / Glazed	Urban Industrial	21
Civic White / Glazed	Urban Industrial	21
Classique / 6 Light / Bi-folds	White Moulded	111
Clementine	Oak Contemporary	45
Colonial 4 Panel Extreme / Glazed	External Extreme	129
Colonist / Bi-fold	White Moulded	111
Colorado Grey / Glazed	Laminates	31
Cosmo Grey / Glazed	Urban Industrial	15
Cottage 5 / Glazed	White Moulded	107
Dallas	Door Handle Packs	124
Darwen	Oak Classic	49
Dean	Oak Classic	51
Decima	White Moulded	110
Denver Light / Dark Grey	Door Handle Packs	125
Derwent	Oak Classic	47
Dominica	White Shaker	102
Dominion	White Contemporary	93
Dove / Pairs	Oak Classic	46
Eden	Oak Classic	49
Eiger	Oak Shaker	57
Elektra	White Contemporary	93
Emral Oak	Oak Contemporary	37
Emral Walnut	Walnut	67
Emral White	White Contemporary	87
Etna / Bi-fold	Oak Shaker	56
-aro	White Moulded	110
ernor	Walnut	71
Franquette	Walnut	71
Fuji / FD30 / Bi-fold	Oak Shaker	57
Geo / Glazed	White Shaker	101
Gisburn	Oak Classic	51

Grizedale	Oak Classic	51
Hardwick	White Classic	85
Houston	Door Handle Packs	125
Hudson / Glazed	Laminates	31
Humber	Oak Classic	49
Jamaica	White Shaker	105
Lara	Walnut	71
Louvre	Painted Finish	77
Lyric	White Contemporary	93
Matterhorn	Oak Shaker	57
Medina	Oak Contemporary	37
Mersey	Oak Classic	49
Metro Black / Glazed	Urban Industrial	19
Metro White / Glazed	Urban Industrial	19
Mistral Oak / Glazed / Bi-fold	Oak Contemporary	39
Mistral Walnut / Glazed	Walnut	69
Mistral White / Glazed / Bi-fold	White Contemporary	89
Montserrat / Bi-fold	White Shaker	105
Nevis	Oak Shaker	55
Novello	White Contemporary	93
Osborne	White Classic	85
Ostria / Glazed	Oak Contemporary	43
Palomino / Glazed	Oak Contemporary	41
Parisienne	Walnut	71
Phoenix	White Contemporary	91
Phoenix Black / Satin	Door Handle Packs	124
Pintado Grey / Glazed	Painted Finish	75
Plaza Black / Glazed	Urban Industrial	23
Plaza White / Glazed	Urban Industrial	23
Pocket Doors & Accessories	Pocket Door Systems	118-121
Portland	Door Handle Packs	124
Quartz / Glazed	White Shaker	97
Quattro / Glazed	White Moulded	107
Raven Black / Polished	Door Handle Packs	124
Rushmore Oak	Oak Shaker	55
Rushmore White / Glazed	White Shaker	102
Rustic Oak 4 Panel / Glazed	Oak Cottage	63
Rustic Oak DX / Glazed	Oak Cottage	63
Rustic Oak Ledged	Oak Cottage	63
Savoy	White Contemporary	91
Seattle	Door Handle Packs	124
Severn	Oak Classic	47
Sherwood	Oak Classic	51
Sirocco / Glazed	Oak Contemporary	43
Snowdon / Bi-fold	Oak Shaker	55
Spencer	Oak Contemporary	45
Tate	Painted Finish	77
Thames Extreme / Glazed	External Extreme	129
Thames Oak	Oak Cottage	59
Thames 1 Light / FD30	Oak Cottage	59
Thames 6 Light	Oak Cottage	60
Thames 1/2 Light	Oak Cottage	60
Thames Bi-fold	Oak Cottage	60
Tigris Dark Grey / Glazed	Laminates	29
Tigris Extreme / Glazed	External Extreme	128
Tigris Ivory / Glazed	Laminates	27
Tigris Light Grey / Glazed	Laminates	27
Tigris Oak	Oak Contemporary	37
Tigris Walnut	Walnut	67
Tigris White / Bi-fold	White Contemporary	87
Tobago / Bi-fold	White Shaker	103
Trent	Oak Classic	46
Trinidad	White Shaker	105
		100

www.jbkind.com T: 01283 554197













Swadlincote, Derbyshire DE11 9DW T: 01283 554197 F: 01283 554182