



Natural hardwood flooring



Natural
Solutions



Most of our collections are oak, a highly versatile wood giving floors of light, smooth, even grain but by careful selection different characters and profiles can be created from a rustic cottage feel to a contemporary finish.

From tree to high technology. Keeping the beauty and a unique character that can only be produced by nature, the wood is processed and enhanced for the modern home. Backing is added to some ranges to allow it to expand and contract with the temperature differences of under floor heating. The surface is coated in the most modern oils, lacquers and varnished to give subtle variations of sheen and hue. The varnishes give protection and strength to help prevent damage from sunlight and every day wear.

Generations to create; many life times to enjoy.

Caring for the environment

Furlong Wood Flooring takes most of its woods from the huge forests of Europe, taking advantage of the variety and quality of the oak trees that are grown there. We are keen to take part in sustainable forest management and attach particular importance to the traceability of our floors, from the growing of the raw material in the forests to its sale in the shop.



Key



Tongue & Groove
Fitting



Fully Adhered
Installation



Tongue & Groove
Glued Installation



Secret Nailed
System



UV Protective
Coating



Natural Oil
Finish



Locking System
Fitting



Installation Over
Underfloor Heating



Woodland

A charming range with character and interest, patterned to replicate traditional ship decking.

- 10 year residential guarantee & 5 year commercial guarantee
- Can be floated or entirely glued to the subfloor
- Pre-finished with Lacquer
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation



3mm nominal hardwood top
Pine / Spruce middle layer
Pine / Spruce base



Oak Rustic Lacquered



Black American Walnut Lacquered



Length	2200mm
Width	189mm
Thickness	14mm
Pack Size	3.33m ²
Pallet Size	36 packs = 119.88m ²
Species	Oak / Black American Walnut



3mm nominal hardwood top
Pine / Spruce middle layer
Pine / Spruce base

Emerald 148

Hardwood flooring range that brings a sophisticated elegance, warmth, and a natural charm to any home.

9895

Oak Rustic Lacquered

9894

Oak Rustic Brushed & UV Oiled

9896

Oak Prime Lacquered

9890

Walnut Stained Lacquered

9891

Smoked Brushed & UV Oiled

9892

Coffee Stained Brushed & UV Oiled

9893

Nutmeg Stained Brushed & UV Oiled

9897

White Lime Brushed & UV Oiled

- 15 year residential guarantee
- Glued as floating floor
- Pre-finished with UV Oil or UV Lacquer
- Micro bevelled on 4 sides
- 2 split planks per pack
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation



Length	1900mm
Width	148mm
Thickness	14mm
Pack Size	2.25m ²
Pallet Size	56 packs = 126m ²
Species	Oak





Emerald 190

Hardwood flooring range that brings a sophisticated elegance, warmth, and a natural charm to any home.

- 15 year residential guarantee
- Glued as floating floor
- Pre-finished with UV Oil or UV Lacquer
- Micro bevelled on 4 sides
- 2 split planks per pack
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation



Length	1900mm
Width	190mm
Thickness	14mm
Pack Size	2.89m ²
Pallet Size	48 packs = 138.72m ²
Species	Oak



3mm nominal hardwood top
Pine / Spruce middle layer
Pine / Spruce base

7324

Oak Rustic Brushed & UV Oiled

7325

Oak Rustic Lacquered

8199

Nutmeg Brushed & UV Oiled

8200

Coffee Brushed & UV Oiled

8201

White Lime Brushed & UV Oiled

8202

Smoked Brushed & UV Oiled



4mm nominal solid hardwood top
Soft wood middle layer
Ply base

Majestic

Hardwood flooring range that brings a practical and stylish solution to any room in your home.

6591* / 6593

Oak Rustic Lacquered

6592* / 6594

Oak Rustic Brushed & UV Oiled

6748

Wenge Brushed & UV Oiled

6749

Light Grey Brushed & UV Oiled

6750

Auburn Brushed & UV Oiled

6751

Scandic Brushed & UV Oiled

6752

Ivory Brushed & UV Oiled

6753

Smoked Brushed & UV Oiled

- 15 year residential guarantee
- Lock system as floating floor
- Pre-finished with UV Lacquer or Brushed UV Oil
- Micro bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation



Length	1860mm
Width	*148mm / 189mm
Thickness	15mm
Pack Size	*2.2m ² / 2.81m ²
Pallet Size	*148mm - 48 packs = 105.6m ² 189mm - 40 packs = 112.4m ²
Species	Oak





6mm nominal hardwood top
Multiply Base

Mont Blanc

Large planks that look and feel like traditional old oak planked flooring. A timeless choice.

8576

Oak Natural Lacquered

8577

Oak Natural Brushed & UV Oiled

8578

Titanium Brushed & White Oiled

8579

Scandic Brushed & UV Oiled

8580

Old English Brushed & UV Oiled

8581

Limed Oak Brushed & UV Oiled

8582

Antique Brushed & UV Oiled

8583

Saw Cut Smoked Brushed & UV Oiled

- 20 year residential guarantee
- Glued as floating floor
- Pre-finished with UV Oil
- Bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish – no sanding and no mess
- Quick and easy installation
- 1 split plank per pack




Length	2200mm
Width	220mm
Thickness	20mm
Pack Size	1.936m ²
Pallet Size	60 packs = 116.16m ²
Species	Oak

Classique

The majesty and refinement of oak with a timeless, rugged, distressed appearance.

- 20 year residential guarantee
- Glued as floating floor
- Pre-finished with UV Lacquer
- Tumbled edges
- Random lengths
- Distressed marks, open knots & cracks
- Made to look like a reclaimed floor
- Not recommended to be installed with an underfloor heating system



6mm nominal hardwood top
Multiply Base



8790

Oak

Distressed Brushed & UV Lacquered



8791

Oak Whitened

Distressed Brushed & UV Lacquered



8792

Oak Cognac

Distressed Brushed & UV Lacquered



8793

Oak Antique

Distressed Brushed & UV Lacquered



Length 400-1200mm

Width 150mm

Thickness 18mm

Pack Size 1.98m²

Pallet Size 54 packs = 106.92m²

Species Oak



5mm nominal hardwood top
Multiply Base

Next Step 125

Beautiful, high quality wood flooring designed to have the authentic looks and characteristics of solid wood.

- 20 year residential guarantee
- Can be secret nailed to load bearing ply, entirely glued or floated
- Pre-finished with UV Lacquer or UV Oil
- Micro bevelled on 4 sides
- Random lengths
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

6990

Oak Rustic Matt Lacquered

6991

Oak Rustic UV Oiled

6992

Oak Rustic Brushed & UV Oiled

6993

Coffee Brushed & UV Oiled

6994

Nutmeg Brushed & UV Oiled

1021*

Jatoba Luxus Lacquered

6997

Black American Walnut Lacquered

7303

Smoke Stain Brushed & UV Oiled



Length	Random
Width	125mm
Thickness	18mm
Pack Size	*2.1m ² / 2.2m ²
Pallet Size	*52 packs = 109.2m ² / 52 packs = 114.4m ²
Species	Oak / Jatoba / Black American Walnut





Next Step 189

The same unique flooring as Next Step 125 but with a wider plank that gives a truly antique rustic appearance.

- 20 year residential guarantee
- Can be secret nailed to load bearing ply, entirely glued or floated
- Pre-finished with UV Lacquer or UV Oil
- Micro bevelled on 4 sides
- Random lengths
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation



Length	Random
Width	189mm
Thickness	18mm
Pack Size	1.66m ²
Pallet Size	65 packs = 107.9m ²
Species	Oak / Black American Walnut



5mm nominal hardwood top
Multiply Base



Oak Rustic Matt Lacquered



Oak Rustic UV Oiled



Oak Rustic Brushed & UV Oiled



Nutmeg Brushed & UV Oiled



Coffee Brushed & UV Oiled



Smoked Brushed & UV Oiled



Black American Walnut Lacquered



Buckskin Brushed & UV Oiled



6mm nominal hardwood top
Multiply Base

Aspect

Hardwood floors that can be enjoyed throughout the ages, offering a style and sophistication that is unmatched.

- 20 year residential guarantee
- Can be secret nailed, entirely glued or floated
- Pre-finished with UV OSMO Oil
- Micro bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

5180*

Clear Satin Oak
Brushed & UV Oiled

5786

Black Stained Oak
Brushed & UV Oiled

5789

White Stained Oak
Brushed & UV Oiled

5788

Walnut Stained Oak
Brushed & UV Oiled

5785

Antique Stained Oak
Brushed & UV Oiled

5787

Unfinished Oak

8005

Extra White Stained Oak
Brushed & UV Oiled



Length	2200mm
Width	180mm
Thickness	20mm
Pack Size	1.58m ²
Pallet Size	*60 packs = 94.8m ² / 48 packs = 75.84m ²
Species	Oak






Virginia

An eternal solid oak flooring available in a variety of widths.


- 20 year residential guarantee
- Can be secret nailed or fully adhered
- Pre-finished with UV Lacquer
- Provisional coat of Natural Oil (requires further coat upon installation)
- The oil used is natural and left to be air dried
- Micro bevelled on 4 sides
- Random lengths
- Not recommended to be installed with an underfloor heating system




Length	300mm - 1200mm
Width	120mm / 150mm
Thickness	18mm
Pack Size	2.11m ² / 2.31m ²
Pallet Size	52 packs = 109.72m ² / 42 packs = 97.02m ²
Species	Oak




Oak Rustic Lacquered 120




Oak Rustic Lacquered 150




Oak Rustic Oiled 120



Oak Rustic Oiled 150



Oak Rustic Brushed and Oiled 150




Oak Rustic Brushed and Oiled 120

Accessories that finish our ranges

All of the accessories are available in matching colours to our products.


Woodline

Woodline is a range of pre-finished hardwood trims developed for use with wooden flooring. With a finished floor thickness of between 10mm and 22mm, these trims can be used with solid wood, wood veneers and parquet flooring. All Woodline profiles consist of a hardwood top section and a PVCu base section.



Woodline Stairnosings

Woodline Stairnosings provide a safe, attractive and practical edge for solid wood, wood veneer and parquet flooring. With standard thicknesses of 10mm, 14mm and 19mm, each section can be packed to accommodate all finished floor heights and types.



Other Accessories

To complement the Woodline profiles and nosing sections, Natural Solutions also offer a range of Bases and Hardwood Scotia.





Caring for your flooring

Daily maintenance

By following these simple maintenance guidelines, you will maintain the natural beauty of the floor. You should always remember that wood is a natural product: its looks will improve as the floor matures. Using the following maintenance guidelines will ensure that your hardwood floor will remain attractive and give many years of pleasure.

- Regularly sweep or vacuum the floor to prevent grit or abrasive dust from accumulating and scratching the surface.
- Wipe up any spilled liquids immediately (wood will absorb liquids and expand or stain).
- Use protective pads under all furniture legs.
- Use barrier mats inside and outside all external doorways.
- Never allow any liquid to remain on the floor. Stains should be removed while they are still wet. After removal of the stain, wipe the floor with a clean, damp cloth.
- Never use wax, oil based detergent or any household cleaners. These may dull or damage the finish, leaving greasy film, making the floor slippery and more difficult to clean. A mop rinsed in water and wood flooring cleaning solution is acceptable so long as the mop is squeezed dry beforehand.

Periodic maintenance of Natural Oiled products


Re-application of the oil is based upon localised usage and appearance but on average your floor will require a thorough clean and re-oil every 6 to 12 months. If your floor starts to look tired or worn, re-application of a Natural Oil is recommended to maintain the appearance of your floor. Cleaning of the floor is recommended prior to the re-application of the oil or any other surface finishing. This is done by very lightly applying a water and sugar soap solution and then wiping it off immediately. You can then commence with the re-oil. It may be that due to ingrained dirt, you are unable to thoroughly clean the surface. In this instance, it is recommended that you hire a professional to sand down the floor prior to re-applying the oil.

UV Oiled and Lacquered finish

To remove heavy soiling from the surface, use a well rung out cloth with a wood floor cleaner. The floor may be treated with a "refresher" to supplement the surface lacquer and UV oil.

These maintenance kits are now available for all our lacquered, UV oiled and white oiled floors.





Retailer:



For more information please visit our website:
www.furlongwoodflooring.co.uk



Due to printing limitations there may be variations between colours of the actual flooring and the samples shown on this document.