



J/B/Kind
DOORS

INSPIRATIONAL DOORS.
Undeniable value.

Door Collection 2018

www.jbkind.com

Welcome to our 2018 Collection

Our 2018 Door Collection showcases the diversity of our designs, finishes and styles. From firm favourites to innovative new doors, our trademark professional advice helps ensure your door purchase is supported every step of the way. Plus, many of our 200+ door designs are exclusive to JB Kind, so you won't find them anywhere else.

Our incredibly popular Laminates range has expanded (pages 54-59), thanks to its versatility, durability, consistency of finish and value for money. The new laminate doors include cottage style oak and grey timber effect finishes, as well as an American inspired Alabama design that is available in two on-trend colours. There is also our new Pintado painted grey door, a minimalist, grey flush design (page 60). Of course, we've still included all our most popular ranges and the outstanding External Extreme door range (pages 92-95).

Look out for our useful 'At a Glance' guides, which help make it easier to locate those products that have bespoke options, can be rebated into door pairs and our comprehensive fire door service. You'll also find information on space saving pocket door systems and internal doorsets.

Whatever your budget or design dream, we'll have the doors to suit your style.

Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards. From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as BWF-CERTIFIRE and FSC® chain of custody.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality award ISO9001. Certificate number: Q 09320



Contents

Helping You Choose	pages 4-5	Oak Shaker	pages 38-41	Door Furniture	pages 90-91
Pocket Door Systems	pages 6-9	Oak Cottage	pages 42-47	External Doors	pages 92-95
Bespoke Options	pages 10-13	Walnut	pages 48-53	Timber Accessories	page 96
Bespoke Options	pages 10-11	Laminates	pages 54-59	Essential Door Care	page 97
Door Sets	pages 12-13	Painted Finish	pages 60-65	FSC® Certified	page 97
Rebated Door Pairs	page 13	White Contemporary	pages 66-75	Fire Door Information	page 98
Internal Doors	pages 14-89	White Classic	pages 76-81	Where to Buy	page 99
Oak Contemporary	pages 14-27	White Shaker	pages 82-87	Showroom	page 99
Oak Classic	pages 28-37	White Cottage	pages 88-89		



Beautiful Oak
pages 14-47



Warming Walnut
pages 48-53



Adding Colour
pages 54-65



Simply White
pages 66-89



Come on in...
pages 92-95

Helping you choose and buy your doors

STEP 1

Choose your preferred door style

Browse through and select your favourite door designs, colours and finishes. Not forgetting, a matching glazed partner, should you wish to add some extra light. Take inspiration from our Gallery of lifestyle images online at jbkind.com



STEP 2

Check the sizes available

If one of our standard door sizes does not fit your requirements, check if a special size can be ordered through our **Bs** Bespoke Options service, pages 10-11.



STEP 3

Consider how the doors will be fitted


- Do you need any door pairs? If so, take a look at our Door Pair rebating service p13.
- Would a Pocket Door System help create some extra space? Ideal for renovation and new build projects, see pages 6-9.
- Will you require any fire doors? Virtually all of our door designs offer an FD30 fire door option. See p98.
- A pre-hung Doorset complete with frame and ironmongery could be better suited to your project. If so, see pages 12-13.
- Ensuites, wardrobes and cupboards often require a space saving solution. Consider a matching bi-fold option, pocket door system or invest in some sliding door tracking.



STEP 4

Pick the right handle

A stylish handle really does finish off a door. Take a look at our Door Handle Packs, pages 90-91, supplied with everything you need to fit a door.



STEP 5

Price up your doors

JB Kind's doors can be purchased through Builders Merchants and Door Retailer partners across the UK, any of which will be happy to provide a quote.

Either call us on **01283 554197** for details of your local supplier or visit our online Supplier Locator at jbkind.com.

Alternatively you can Buy Online via one of our approved Online Partners and your doors will just be a click away.

Product key features

To help make your door decisions easier, the key features of each product have been included adjacent to the individual door image. Please refer to this handy set of icons as you browse through the brochure.



Bespoke Options available, see pages 10-11



FD30 fire doors available from stock



Solid core construction



Semi-solid core construction



Standard core construction

For definitions of the most commonly used door terminology, see our Glossary of Terms online at jbkind.com

Door finishes

Our doors are available in the following finishes:

Wood veneer




Laminate



Painted



White primed



Door styles

To help select your favourite door designs our collection has been arranged in the following styles:

Contemporary



Classic



Shaker



Cottage



Measuring up

To make sure you purchase the right door sizes, take the following measurements.

Door width: measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door.

Door height: measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.



Door size conversion chart

A little help if you need to work out the metric and imperial equivalent for door sizes.

HEIGHT & WIDTH		
Metric (mm)	Imperial (inches)	Imperial (feet & inches)
1981 x 457	78" x 18"	6'6" x 1'6"
1981 x 533	78" x 21"	6'6" x 1'9"
1981 x 610	78" x 24"	6'6" x 2'0"
1981 x 686	78" x 27"	6'6" x 2'3"
1981 x 711	78" x 28"	6'6" x 2'4"
1981 x 762	78" x 30"	6'6" x 2'6"
1981 x 838	78" x 33"	6'6" x 2'9"
1981 x 915	78" x 36"	6'6" x 3'0"
1981 x 1067	78" x 42"	6'6" x 3'6"
1981 x 1168	78" x 46"	6'6" x 3'10"
1981 x 1220	78" x 48"	6'6" x 4'0"
1981 x 1372	78" x 54"	6'6" x 4'6"
1981 x 1524	78" x 60"	6'6" x 5'0"
2032 x 813	80" x 32"	6'8" x 2'8"
2134 x 915	84" x 36"	7'0" x 3'0"
2040 x 526	80 1/4" x 20 11/16"	6'8 1/4" x 1'8 11/16"
2040 x 626	80 1/4" x 24 5/8"	6'8 1/4" x 2'0 5/8"
2040 x 726	80 1/4" x 28 5/8"	6'8 1/4" x 2'4 5/8"
2040 x 826	80 1/4" x 32 1/2"	6'8 1/4" x 2'8 1/2"
2040 x 926	80 1/4" x 36 7/16"	6'8 1/4" x 3'0 7/16"

Pocket Door Systems

A pocket door system that enables doors to slide conveniently into a wall cavity and save space whilst looking incredibly stylish.




Easy to install* with a rigid frame, our pocket door systems are supplied pre-assembled so that they can be fitted in half the time of other brands.

Available for both single and double door situations in a selection of sizes, almost all of JB Kind's internal doors are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

Key features:

- Easy to install* rigid frame, supplied pre-assembled
- Fitted in half the time of other brands
- Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- Compatible sliding door hardware available
- Available in single and double format

*We always recommend using a professional fitter.



Product info:

- The cassette structure is made from 0.5mm galvanised steel
- The cassette sides are formed from single pieces of pressed steel which is corrugated for complete stability
- Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette
- Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square
- The internal pocket cavity is protected by a cover during installation
- Suits door thickness 35mm
- Maximum door weight 80Kg



How to order your Pocket Door System: Your step by step guide



Mistral Walnut

STEP ONE

Single or Double Pocket Door System

Use our size guide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

STEP TWO

Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

STEP THREE

Timber accessory kits

You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for both single and double options.

STEP FOUR

Door Grooving

The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system. If required, our in-house joinery workshop can pre-groove your doors prior to delivery.

STEP FIVE:

Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Double simultaneous operator: enables a double pocket door to open and close simultaneously.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

STEP SIX:

Door furniture

Choose from either a bathroom privacy lock or flush door pull.

STEP SEVEN:

Finding a JB Kind door supplier

Take a look at the Supplier Locator on our website or approved Online Partners. Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call 01283 554197 or email info@jbkind.com

Timber Accessory Kits

Available in either white primed or varnished oak, Accessory Kits are required to complete pocket door installation.




	Code
White primed – single pocket door kit	SGLWPRIAC
White primed – double pocket door kit	DBLWPRIAC
Oak varnished – single pocket door kit	SGLVOAC
Oak varnished – double pocket door kit	DBLVOAC

Additional Accessories




	Code
Soft close damper unit	SCDAMPER
Automatic door closer	ACLOSER
Double simultaneous operator	DBLSIMOP
Flush Door Pull Pack (satin stainless steel, includes 2 circular flush pulls and a round finger pull for the door edge)	CIRCPULL
Bathroom Door Hook Lock Pack (satin stainless steel, includes turn and release, hook latch, adjustable keep and finger pull)	CIRCBATHLOCK



Single Pocket Door – Size Guide

mm	Door Size		Clear Opening Size (walkthrough area)		Structural Opening Size of the Unit		Finished Wall Thickness
Single pocket door system code	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
POCSYSSGL686	686	1981	650	1970	1425	2075	125
POCSYSSGL762	762	1981	740	1970	1625	2075	125
POCSYSSGL838	838	1981	800	1970	1725	2075	125
POCSYSSGL915	915	1981	890	1970	1925	2075	125



Double Pocket Door – Size Guide

To create a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. Easy to assemble without requiring any modifications, the conversion kit includes a double top rail and two spacers.

mm	Door Size (individual)		Clear Opening Size (walkthrough area)		Structural Opening Size of the Unit		Finished Wall Thickness
Double leaf conversion kit code	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
DBLLEAFKIT686	686	1981	1300	1970	2742	2075	125
DBLLEAFKIT762	762	1981	1500	1970	3142	2075	125
DBLLEAFKIT838	838	1981	1600	1970	3342	2075	125
DBLLEAFKIT915	915	1981	1800	1970	3742	2075	125

Bs Bespoke options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at JB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

Make your mark

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or painted finish, or perhaps you would like to create a style that is completely unique and different? More veneers and painted finishes can be viewed online at www.jbkind.com.



For more information on the bespoke options available, visit www.jbkind.com or talk to us, we are here to help.

Take a look below to see which of our door ranges have bespoke options available.

Look out for the **Bs** logo adjacent to product images.

AT A GLANCE GUIDE TO BESPOKE OPTIONS	
Door Range	Bespoke Options
Oak Contemporary	All door designs (excl. Bi-folds)
Oak Classic	All Royale door designs (see pages 29 & 35)
Oak Shaker	N/A
Oak Cottage	Thames Original (p43) and Cherwell (p44)
Walnut	All door designs (excl. Axis Walnut)
Laminates	N/A
Painted Finish	All door designs but a minimum quantity may apply.
White Contemporary	Available for many of the door designs, please refer to individual products
White Classic	N/A
White Shaker	N/A
White Cottage	N/A

N/A not available



MADE TO MEASURE

There are a wide range of standard door sizes available, however, sometimes you just cannot avoid an awkwardly sized door opening. Many of the doors from our collection can be produced to order as a special size and of course any door designs that are created just for you.



BESPOKE GLAZING

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.



FIRE DOORS

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Supported by the appropriate accreditations, you can be safe and stylish.

Internal Doorsets

Easy onsite door installation that gives a perfect fit every time



All of our internal doors, including fire doors, can be supplied as factory pre-assembled Doorsets. The perfect door solution for self builds, new housing and apartment developments.

What's in a Doorset?

- 1 Hinges fitted

2 Door leaf

3 Latch/lock fitted

4 Frame/lining, complete with door stop

5 Floor covering clearance

6 Removable transport bracket
- Architrave is also supplied (not shown): available in a variety of styles



BENEFITS OF A DOORSET

- Save time

Each Doorset is pre-hung and ready to install.
- Labour cost saving

Quicker fitting times help reduce onsite costs.
- Single sourcing

Ease of purchasing all door related components in one place.
- Fully certificated

Peace of mind that each Fire and Security rated Doorset is fully compliant.
- Factory controlled

Each Doorset is assembled in a factory environment to ensure consistency and quality.

Your Doorset enquiries

Each Doorset enquiry is unique and specification accuracy is essential. Please get in touch with our Sales team on 01283 554197 to discuss your requirements and we will send you a Doorset enquiry form.

- Here's a checklist of the key information that will be required to help us process your enquiry:
- Quantity required
 - Structural opening heights and widths
 - Wall depth
 - Handing (left or right) as viewed from the pull side
 - Floor clearance (distance from bottom of frame to bottom of door)
 - Type of door – Standard (35/40mm), FD30/FD60 fire rated (44/54mm) or Security rated
 - Door design style
 - Frame material and finish – mdf or softwood in primed, lacquered or stained
 - Frame type – rebated or lining
 - Architrave profile and dimensions


Rebated door pairs



Door pairs, or double doors as they are often known, really do add a touch of style and class to a home.

If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be made to order.



AT A GLANCE	
Doors that can be rebated into a pair from stock	
Door Range	Door Designs
Oak Contemporary	Tigris Oak & Medina, p17 (sizes: 686 & 762mm)
Oak Classic	Dove Pairs, p31 (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Yoxall & Tutbury p45
Walnut	Axis p53
Laminates	N/A
Painted Finish	N/A
White Contemporary	All door designs (except fire doors, bi-folds, Quattro p74 & Ripple p73)
White Classic	Jamaica & Trinidad p77 Classique 6 Light Pairs p79 (ready rebated)
White Shaker	All door designs (except fire doors & bi-folds)
White Cottage	N/A

N/A not available



Royale VT5 Oak Glazed

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Royale VP7 Oak



- Pre-finished oak veneer
- 7 ladder style panels with real oak grooves
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	VP7610-O		
1981 686 35	VP7686-O	45	VP7HH686-O
1981 762 35	VP7762-O	45	VP7HH762-O
1981 838 35	VP7838-O	45	VP7HH838-O

Royale VP7 Oak



Royale VP7 Oak Glazed



- Pre-finished oak veneer
- 7 ladder style panels with real oak grooves
- Clear diamond cut safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 686 35	VP71VCB686-O		
1981 762 35	VP71VCB762-O		
1981 838 35	VP71VCB838-O		

Royale VT5 Oak



- Pre-finished oak veneer
- 5 horizontal panels with real oak grooves
- FSC® Certified

Matching door pairs cannot be guaranteed



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	VT5610-O		
1981 686 35	VT5686-O	45	VT5HH686-O
1981 762 35	VT5762-O	45	VT5HH762-O
1981 838 35	VT5838-O	45	VT5HH838-O

Adding the finishing touch...
see page 90



Make a statement with a pocket door system
see page 6

See more Oak Contemporary doors overleaf


Royale VT5 Oak Glazed



- Pre-finished oak veneer
- 5 horizontal panels with real oak grooves
- Clear diamond cut safety glass with raised beading
- FSC® Certified

Matching door pairs cannot be guaranteed.

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 686 35	VT51VB686-O		
1981 762 35	VT51VB762-O		
1981 838 35	VT51VB838-O		



Tigris Oak

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Tigris Oak



- Pre-finished oak veneer
- 5 ladder style panels with real wood grooves

Tigris is also available in Walnut and White, see pages 49 & 66.



Rebated door pairs available from stock for 686 & 762mm



Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 533 35	OIS119	44	OIS119FD30
1981 610 35	OIS120	44	OIS120FD30
1981 686 35	OIS123	44	OIS123FD30
1981 762 35	OIS126	44	OIS126FD30
1981 838 35	OIS129	44	OIS129FD30
2040 626 40	OIS1626		
2040 726 40	OIS1726	44	OIS1726FD30
2040 826 40	OIS1826	44	OIS1826FD30
2040 926		44	OIS1926FD30



Emral Oak

Emral Oak



- Pre-finished oak veneer
- 5 ladder style panels with real wood grooves
- Clear flat safety glass with raised beading

Emral is also available in Walnut and White, see pages 49 & 66.



Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 686 35	OEMR23	44	OEMR23FD30
1981 762 35	OEMR26	44	OEMR26FD30
1981 838 35	OEMR29	44	OEMR29FD30

Medina



- Pre-finished oak veneer
- Clear diamond cut safety glass with raised beading

Rebated door pairs available from stock for 686 & 762mm.

Glazed fire doors available to order.



Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	OMED23G
1981 762 35	OMED26G
1981 838 35	OMED29G
2040 626 40	OMED626G
2040 726 40	OMED726G
2040 826 40	OMED826G

Bela



- Pre-finished oak veneer
- 5 ladder style panels with real wood grooves
- Clear flat safety glass with raised beading



Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 610 35	OBEL20
1981 686 35	OBEL23
1981 762 35	OBEL26
1981 838 35	OBEL29

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

See more Oak Contemporary doors overleaf



Mistral Oak



Mistral Oak Glazed



Mistral Oak Bi-fold

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

See more Oak Contemporary doors overleaf

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Mistral Oak



- Pre-finished oak veneer
- 3 ladder style panels, grooved into MDF

Mistral Oak is also available in Walnut and White, see pages 49 & 67.



Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 533 35	OMIS19		
1981 610 35	OMIS20		
1981 686 35	OMIS23	44	OMIS23FD30
1981 762 35	OMIS26	44	OMIS26FD30
1981 838 35	OMIS29	44	OMIS29FD30
2040 526 40	OMIS526		
2040 626 40	OMIS626		
2040 726 40	OMIS726	44	OMIS726FD30
2040 826 40	OMIS826	44	OMIS826FD30
2040 926		44	OMIS926FD30



Mistral Oak Glazed



- Pre-finished oak veneer
- 3 ladder style panels, grooved into MDF
- Clear flat safety glass, flush beaded

Glazed fire doors available to order.

Mistral Oak Glazed is also available in Walnut and White, see pages 49 & 67.



Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	OMIS23G
1981 762 35	OMIS26G
1981 838 35	OMIS29G
2040 626 40	OMIS626G
2040 726 40	OMIS726G
2040 826 40	OMIS826G



Mistral Oak Bi-fold



- Pre-finished oak veneer
- 3 ladder style panels, grooved into MDF

Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track.

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Mistral Oak Bi-fold is also available in White, see page 67.



Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 762 35	OMISBF26



Sirocco

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	OSIR20		
1981 686 35	OSIR23	44	OSIR23FD30
1981 762 35	OSIR26	44	OSIR26FD30
1981 838 35	OSIR29	44	OSIR29FD30



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	OSIR23G
1981 762 35	OSIR26G
1981 838 35	OSIR29G

Sirocco Glazed



- Pre-finished oak veneer
- Grooved into MDF with alternate horizontal and vertical veneers
- Clear flat safety glass, flush beaded

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	OOST20		
1981 686 35	OOST23	44	OOST23FD30
1981 762 35	OOST26	44	OOST26FD30
1981 838 35	OOST29	44	OOST29FD30

Ostria



- Pre-finished oak veneer
- Horizontal veneers with vertical stiles



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	OOST23G
1981 762 35	OOST26G
1981 838 35	OOST29G

Ostria Glazed



- Pre-finished oak veneer
- Horizontal veneers with vertical stiles
- Clear flat safety glass, flush beaded

Glazed fire doors available to order.

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

See more Oak Contemporary doors overleaf



Ostria



Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

See more Oak Contemporary doors overleaf

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Ceylon

Juno



Ceylon



- Pre-finished oak veneer
- Oak grooves and ash inlay



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	ECEY20		
1981 686 35	ECEY23	44	ECEY23FD30
1981 762 35	ECEY26	44	ECEY26FD30
1981 838 35	ECEY29	44	ECEY29FD30



Rhodesia



- Pre-finished oak veneer
- Oak grooves and ash inlay
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ERH023
1981 762 35	ERH026
1981 838 35	ERH029



Juno



- Pre-finished oak veneer
- Light wood inlay
- Clear bevelled safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	OJUN23
1981 762 35	OJUN26
1981 838 35	OJUN29



Venus



- Pre-finished oak veneer
- Light wood inlay



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	OVEN20		
1981 686 35	OVEN23		
1981 762 35	OVEN26	44	OVEN26FD30
1981 838 35	OVEN29	44	OVEN29FD30



Lucina



- Pre-finished oak veneer
- Light wood inlay



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	OLUC20		
1981 686 35	OLUC23		
1981 762 35	OLUC26	44	OLUC26FD30
1981 838 35	OLUC29	44	OLUC29FD30



Blenheim



Clementine

Make a statement with a pocket door system see page 6

Privacy at the touch of a button... see page 90

See more Oak Contemporary doors overleaf



Diana



- Pre-finished oak veneer
- Light wood inlay



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	ODIA20		
1981 686 35	ODIA23		
1981 762 35	ODIA26	44	ODIA26FD30
1981 838 35	ODIA29	44	ODIA29FD30



Minerva



- Pre-finished oak veneer
- Light wood inlay
- Clear bevelled safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	OMIN23
1981 762 35	OMIN26
1981 838 35	OMIN29



Chartwell



- Pre-finished oak veneer
- Wenge inlay



Wenge inlay

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 533 35	CCHA19		
1981 610 35	CCHA20		
1981 686 35	CCHA23	44	CCHA23FD30
1981 762 35	CCHA26	44	CCHA26FD30
1981 838 35	CCHA29	44	CCHA29FD30



Blenheim



- Pre-finished oak veneer
- Wenge inlay
- Clear flat safety glass with raised beading

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 686 35	CBLE23		
1981 762 35	CBLE26	44	CBLE26FD30G
1981 838 35	CBLE29	44	CBLE29FD30G



Clementine



- Pre-finished oak veneer
- Walnut inlay



Walnut inlay

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 533 35	CCL19		
1981 610 35	CCL20		
1981 686 35	CCL23	44	CCL23FD30
1981 762 35	CCL26	44	CCL26FD30
1981 838 35	CCL29	44	CCL29FD30



Spencer



- Pre-finished oak veneer
- Walnut inlay
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	CSPE23
1981 762 35	CSPE26
1981 838 35	CSPE29



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Arcos

Arcos



- Pre-finished oak veneer
- Dark coloured grooves



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	EARC20		
1981 686 35	EARC23	44	EARC23FD30
1981 762 35	EARC26	44	EARC26FD30
1981 838 35	EARC29	44	EARC29FD30

Agua



- Pre-finished oak veneer
- Dark coloured grooves



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	EAGU20		
1981 686 35	EAGU23	44	EAGU23FD30
1981 762 35	EAGU26	44	EAGU26FD30
1981 838 35	EAGU29	44	EAGU29FD30

Sol



- Pre-finished oak veneer
- Dark coloured grooves



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	ESOL20		
1981 686 35	ESOL23	44	ESOL23FD30
1981 762 35	ESOL26	44	ESOL26FD30
1981 838 35	ESOL29	44	ESOL29FD30

Arcos Glazed



- Pre-finished oak veneer
- Dark coloured grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	EARC23G
1981 762 35	EARC26G
1981 838 35	EARC29G

Agua Glazed



- Pre-finished oak veneer
- Dark coloured grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	EAGU23G
1981 762 35	EAGU26G
1981 838 35	EAGU29G

Sol Glazed



- Pre-finished oak veneer
- Dark coloured grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ESOL23G
1981 762 35	ESOL26G
1981 838 35	ESOL29G

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90



Royale E14M Oak

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



See more Oak Classic doors overleaf



Royale 12M Oak



- Pre-finished and unfinished oak veneer
- Raised shaped panels with raised mouldings



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	12M610-O	45	12MHH610-O
1981 686 35	12M686-O	45	12MHH686-O
1981 762 35	12M762-O	45	12MHH762-O
1981 838 35	12M838-O	45	12MHH838-O
2030 625 40	12M625-O		
2030 725 40	12M725-O	45	12MHH725-O
2030 825 40	12M825-O	45	12MHH825-O
UNFINISHED			
1981 610 35	U012MN20	45	U012MN20FD30
1981 686 35	U012MN23	45	U012MN23FD30
1981 762 35	U012MN26	45	U012MN26FD30
1981 838 35	U012MN29	45	U012MN29FD30



Royale 12-6VM Oak



- Pre-finished & unfinished oak veneer
- Raised shaped panel with raised mouldings
- Clear bevelled safety glass and clear flat glass on FD30



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	126VM610G-O		
1981 686 35	126VM686G-O	45	126VMHH686G-O
1981 762 35	126VM762G-O	45	126VMHH762G-O
1981 838 35	126VM838G-O	45	126VMHH838G-O
2030 625 40	126VM625G-O		
2030 725 40	126VM725G-O		
2030 825 40	126VM825G-O		
UNFINISHED			
1981 610 35	U0126VMN20		
1981 686 35	U0126VMN23	45	U0126VMN23FD30
1981 762 35	U0126VMN26	45	U0126VMN26FD30
1981 838 35	U0126VMN29	45	U0126VMN29FD30



Royale E14M Oak



- Pre-finished & unfinished oak veneer
- Raised shaped panels with raised mouldings



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	E14M610-O		
1981 686 35	E14M686-O	45	E14MHH686-O
1981 762 35	E14M762-O	45	E14MHH762-O
1981 838 35	E14M838-O	45	E14MHH838-O
UNFINISHED			
1981 610 35	U0E14MN20		
1981 686 35	U0E14MN23	45	U0E14MN23FD30
1981 762 35	U0E14MN26	45	U0E14MN26FD30
1981 838 35	U0E14MN29	45	U0E14MN29FD30



Royale E16M Oak



- Unfinished oak veneer
- Raised shaped panels with raised mouldings

Pre-finished available to order.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED			
1981 610 35	U0E16MN20		
1981 686 35	U0E16MN23	45	U0E16MN23FD30
1981 762 35	U0E16MN26	45	U0E16MN26FD30
1981 838 35	U0E16MN29	45	U0E16MN29FD30



Royale 11-8V Oak



- Unfinished oak veneer
- Clear bevelled safety glass with raised mouldings

Pre-finished available to order.

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	U0118V686
1981 762 35	U0118V762
1981 838 35	U0118V838



Royale E14-2VM Oak



- Unfinished oak veneer
- Raised shaped panels with raised mouldings
- Unglazed

Pre-finished available to order.

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	U0E142VMN23
1981 762 35	U0E142VMN26
1981 838 35	U0E142VMN29



Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

See more Oak Classic doors overleaf

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Trent



- Pre-finished and unfinished oak veneer
- Raised shaped panels

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED FIRE DOORS			
1981 457 35	OTRE16		
1981 533 35	OTRE19		
1981 610 35	OTRE20		
1981 686 35	OTRE23	44	OTRE23FD30
1981 762 35	OTRE26	44	OTRE26FD30
1981 838 35	OTRE29	44	OTRE29FD30
2032 813 35	OTRE28		

Doors marked **V** are available pre-finished from stock



Dove



- Unfinished oak veneer
- Raised shaped panel
- Clear bevelled safety glass

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 610 35	ODOV20
1981 686 35	ODOV23
1981 762 35	ODOV26
1981 838 35	ODOV29



Dove Pairs



- Unfinished oak veneer
- Raised shaped panels
- Clear bevelled safety glass

Pre-finished available to order.

Rebated meeting stiles, left hand open away.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 1219 35	ODOV40
1981 1372 35	ODOV46
1981 1524 35	ODOV50



Derwent



- Unfinished oak veneer
- Flat panels

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED FIRE DOORS			
1981 610 35	ODER20		
1981 686 35	ODER23	44	ODER23FD30
1981 762 35	ODER26	44	ODER26FD30
1981 838 35	ODER29	44	ODER29FD30
2032 813 35	ODER28		



Severn



- Unfinished oak veneer
- Flat panels
- Clear flat safety glass

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	OSEV23G
1981 762 35	OSEV26G
1981 838 35	OSEV29G



Churnet



- Unfinished oak veneer
- Flat panels
- Diamond leaded safety glass

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	OCHUDL23
1981 762 35	OCHUDL26
1981 838 35	OCHUDL29

All images are shown finished for illustrative purposes only.



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Grizedale

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

See more Oak Classic doors overleaf

Sherwood



- Pre-finished oak veneer
- Raised shaped panels



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	VS04P20		
1981 686 35	VS04P23	44	VS04P23FD30
1981 762 35	VS04P26	44	VS04P26FD30
1981 838 35	VS04P29	44	VS04P29FD30

Charnwood



- Pre-finished oak veneer
- Raised shaped panels



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 533 35	VS02P19		
1981 610 35	VS02P20		
1981 686 35	VS02P23	44	VS02P23FD30
1981 762 35	VS02P26	44	VS02P26FD30
1981 838 35	VS02P29	44	VS02P29FD30

Grizedale



- Pre-finished oak veneer
- Raised shaped panels



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	VS06P20		
1981 686 35	VS06P23	44	VS06P23FD30
1981 762 35	VS06P26	44	VS06P26FD30
1981 838 35	VS06P29	44	VS06P29FD30

Dean



- Pre-finished oak veneer
- Raised shaped panels
- Clear flat safety glass



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	VS06L2P23G
1981 762 35	VS06L2P26G
1981 838 35	VS06L2P29G

Arden



- Pre-finished oak veneer
- Raised shaped panel
- Clear flat safety glass



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 762 35	VS06L1P26G
1981 838 35	VS06L1P29G

Gisburn



- Pre-finished oak veneer
- Clear flat safety glass



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	VS010L23G
1981 762 35	VS010L26G
1981 838 35	VS010L29G



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Royale R03 Oak



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 686 35	R112M686-0		
1981 762 35	R112M762-0	45	R112MHH762-0
1981 838 35	R112M838-0	45	R112MHH838-0

Royale R11-2M Oak



- Pre-finished oak veneer
- Raised shaped panels with raised mouldings



Royale R11-2M Oak



Royale R11-2V Oak



- Pre-finished oak veneer
- Clear bevelled safety glass with raised mouldings

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	R112V686-0
1981 762 35	R112V762-0
1981 838 35	R112V838-0



Royale R03 Oak



- Pre-finished oak veneer
- Flat panels with raised mouldings



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	R03610-0		
1981 686 35	R03686-0		
1981 762 35	R03762-0	45	R03HH762-0
1981 838 35	R03838-0	45	R03HH838-0



Royale R03 Oak Glazed



- Pre-finished oak veneer
- Clear bevelled safety glass with raised mouldings

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	R033V686-0
1981 762 35	R033V762-0
1981 838 35	R033V838-0

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

See more Oak Classic doors overleaf



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Darwen



Eden



- Unfinished oak veneer
- Flat panel with decorative muntings

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED		FIRE DOORS	
1981 610 35	OEDE20		
1981 686 35	OEDE23	44	OEDE23FD30
1981 762 35	OEDE26	44	OEDE26FD30
1981 838 35	OEDE29	44	OEDE29FD30
2040 626 40	OEDE626		
2040 726 40	OEDE726	44	OEDE726FD30
2040 826 40	OEDE826	44	OEDE826FD30



Mersey



Darwen



- Unfinished oak veneer
- Decorative muntings
- Clear flat safety glass

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	ODAR23G
1981 762 35	ODAR26G
1981 838 35	ODAR29G
2040 726 40	ODAR726G
2040 826 40	ODAR826G



Mersey



- Unfinished oak veneer
- Raised shaped panels

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED		FIRE DOORS	
1981 610 35	OMER20		
1981 686 35	OMER23		
1981 762 35	OMER26	44	OMER26FD30
1981 838 35	OMER29	44	OMER29FD30



Humber



- Unfinished oak veneer
- Clear flat safety glass

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 762 35	OHUM26
1981 838 35	OHUM29

All images are shown finished for illustrative purposes only.

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90



Axis Oak Glazed



Rushmore

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

See more Oak Shaker doors overleaf

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Axis Oak

- Pre-finished oak veneer
- Wide shaker panel design

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Axis Oak is also available in Walnut and White, see pages 53 & 83.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	VOAXI20		
1981 686 35	VOAXI23	44	VOAXI23FD30
1981 762 35	VOAXI26	44	VOAXI26FD30
1981 838 35	VOAXI29	44	VOAXI29FD30



Axis Oak Glazed

- Pre-finished oak veneer
- Wide shaker panel design
- Clear flat safety glass

Rebated door pairs can be ordered from stock with a short lead time.

Axis Oak Glazed is also available in Walnut and White, see pages 53 & 83.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	VOAXI23G
1981 762 35	VOAXI26G
1981 838 35	VOAXI29G



Snowdon

- Unfinished oak veneer
- Four recessed flat panels

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED		FIRE DOORS	
1981 610 35	OSN020		
1981 686 35	OSN023	44	OSN023FD30
1981 762 35	OSN026	44	OSN026FD30
1981 838 35	OSN029	44	OSN029FD30
2040 626 40	OSN0626		
2040 726 40	OSN0726	44	OSN0726FD30
2040 826 40	OSN0826	44	OSN0826FD30



Snowdon Bi-fold

- Unfinished oak veneer
- Recessed flat panels
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 762 35	OSN0BF26

All images are shown finished for illustrative purposes only.

T: 01283 554197



Nevis

- Unfinished oak veneer
- Clear flat safety glass

Rebated door pairs can be ordered from stock with a short lead time.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	ONEV23
1981 762 35	ONEV26
1981 838 35	ONEV29
2040 726 40	ONEV726
2040 826 40	ONEV826



Rushmore

- Unfinished oak veneer
- Four recessed flat panels

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED		FIRE DOORS	
1981 610 35	ORUS20		
1981 686 35	ORUS23	44	ORUS23FD30
1981 762 35	ORUS26	44	ORUS26FD30
1981 838 35	ORUS29	44	ORUS29FD30



Etna

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90



Etna



- Unfinished oak veneer
- Full recessed flat panel

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED FIRE DOORS			
1981 610 35	OETN20		
1981 686 35	OETN23	44	OETN23FD30
1981 762 35	OETN26	44	OETN26FD30
1981 838 35	OETN29	44	OETN29FD30



Fuji



- Unfinished oak veneer
- Clear flat safety glass

Rebated door pairs can be ordered from stock with a short lead time.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	OFUJ23
1981 762 35	OFUJ26
1981 838 35	OFUJ29



Eiger



- Unfinished oak veneer
- Two recessed flat panels

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED FIRE DOORS			
1981 610 35	OEIG20		
1981 686 35	OEIG23	44	OEIG23FD30
1981 762 35	OEIG26	44	OEIG26FD30
1981 838 35	OEIG29	44	OEIG29FD30



Etna Bi-fold



- Unfinished oak veneer
- Recessed flat panels
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 762 35	OETNBF26



Fuji Bi-fold



- Unfinished oak veneer
- Clear flat safety glass
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 762 35	OFUJBF26



Matterhorn



- Unfinished oak veneer
- Clear flat safety glass

Rebated door pairs can be ordered from stock with a short lead time.

Pre-finished available to order.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	OMAT23
1981 762 35	OMAT26
1981 838 35	OMAT29

All images are shown finished for illustrative purposes only.



Thames Original

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

See more Oak Cottage doors overleaf

Make a statement with a pocket door system see page 90

Adding the finishing touch... see page 90

All images are shown finished for illustrative purposes only.



Thames Original



- Pre-finished and unfinished oak veneer
- Grooved centre panel is full door thickness



The grooved centre panel is full door thickness

Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED			
1981 457 35	0THA16		
1981 533 35	0THA19		
1981 610 35	0THA20	44	0THA20FD30
1981 686 35	0THA23	44	0THA23FD30
1981 762 35	0THA26	44	0THA26FD30
1981 838 35	0THA29	44	0THA29FD30
2040 626 40	0THA626		
2040 726 40	0THA726	44	0THA726FD30
2040 826 40	0THA826	44	0THA826FD30
2040 926 40	0THA926	44	0THA926FD30

Doors marked **V** are available pre-finished from stock



Thames Original Bi-fold



- Unfinished oak veneer
- Grooved centre panels are full door thickness
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track.

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Pre-finished available to order.

Height/Width/Thickness mm	Product Code
UNFINISHED	
1981 762 35	0THABF26



Thames 1 Light



- Pre-finished & unfinished oak veneer
- Clear flat safety glass with etched lines

Clear glass with etched lines



Height/Width/Thickness mm	Product Code
UNFINISHED	
1981 686 35	MK20THA1L23
1981 762 35	MK20THA1L26
1981 838 35	MK20THA1L29
2040 626 40	0THA1L626
2040 726 40	0THA1L726
2040 826 40	0THA1L826

Doors marked **V** are available pre-finished from stock



Thames 1/2 Light



- Unfinished oak veneer
- Grooved bottom panel is full door thickness
- Clear flat safety glass with etched lines

Pre-finished available to order.

Height/Width/Thickness mm	Product Code
UNFINISHED	
1981 686 35	0THAVL23
1981 762 35	0THAVL26
1981 838 35	0THAVL29



Thames 6 Light



- Unfinished oak veneer
- Grooved bottom panel is full door thickness
- Clear flat safety glass

Pre-finished available to order.

Height/Width/Thickness mm	Product Code
UNFINISHED	
1981 686 35	0THA6L23
1981 762 35	0THA6L26
1981 838 35	0THA6L29
2040 626 40	0THA6L626
2040 726 40	0THA6L726
2040 826 40	0THA6L826



Thames 6 Light



Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



See more Oak Cottage doors overleaf



Cherwell



- Prefinished oak veneer
- Full length vertical grooves



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	VOCHE20		
1981 686 35	VOCHE23	44	VOCHE23FD30
1981 762 35	VOCHE26	44	VOCHE26FD30
1981 838 35	VOCHE29	44	VOCHE29FD30



Cherwell Glazed



- Prefinished oak veneer
- Full length vertical grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	VOCHE23G
1981 762 35	VOCHE26G
1981 838 35	VOCHE29G



Yoxall



- Pre-finished & unfinished oak veneer
- Individually boarded not grooved

Rebated door pairs can be ordered from stock with a short lead time.



A higher specification, this door is individually boarded not grooved

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
UNFINISHED		FIRE DOORS	
1981 457 35	OYOX16		
1981 533 35	OYOX19		
1981 610 35	OYOX20	44	OYOX20FD30
1981 686 35	OYOX23	44	OYOX23FD30
1981 762 35	OYOX26	44	OYOX26FD30
1981 838 35	OYOX29	44	OYOX29FD30
2040 626 40	OYOX626		
2040 726 40	OYOX726	44	OYOX726FD30
2040 826 40	OYOX826	44	OYOX826FD30
2040 926 40	OYOX926	44	OYOX926FD30

Doors marked **V** are available pre-finished from stock



Tutbury



- Pre-finished & unfinished oak veneer
- Individually boarded not grooved
- Clear bevelled safety glass

Rebated door pairs can be ordered from stock with a short lead time.

Height/Width/ Thickness mm	Product Code
UNFINISHED	
1981 686 35	OTUT23
1981 762 35	OTUT26
1981 838 35	OTUT29

Doors marked **V** are available pre-finished from stock

All images are shown finished for illustrative purposes only.



Rustic Oak 4 Panel

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.



Rustic Oak Ledged

Adding the finishing touch...
see page 90

Make a statement with a pocket door system
see page 6



Rustic Oak 4 Panel



- Pre-finished oak veneer
- Natural knotty appearance
- Recessed flat panels

Height/Width/ Thickness mm	Product Code
1981 610 35	RO4P20
1981 686 35	RO4P23
1981 762 35	RO4P26
1981 838 35	RO4P29



Rustic Oak 4 Panel Glazed



- Pre-finished oak veneer
- Natural knotty appearance
- Recessed flat panels
- Clear flat safety glass

Height/Width/ Thickness mm	Product Code
1981 762 35	RO4P2TL26



Rustic Oak DX



- Pre-finished oak veneer
- Natural knotty appearance
- Recessed flat panels

Height/Width/ Thickness mm	Product Code
1981 610 35	RODX20
1981 686 35	RODX23
1981 762 35	RODX26
1981 838 35	RODX29




Rustic Oak DX Glazed



- Prefinished oak veneer
- Natural knotty appearance
- Recessed flat panels
- Opaque flat safety glass

Height/Width/ Thickness mm	Product Code
1981 762 35	RODXTL26



Front view of Ledged door



Back view of Ledged door



Back view of Ledged door with braces

Height/Width/ Thickness mm	Product Code
1981 686 40	ROLED23
1981 762 40	ROLED26
1981 838 40	ROLED29

Height/Width/ Thickness mm	Product Code
1000 120 15	ROLEDBRPACK

Rustic Oak Ledged



- Unfinished solid oak planks
- Natural knotty appearance

Pre-finished available to order.

If you wish to create a Ledged and Braced style, the Braces are available to purchase separately.



Tigris Walnut

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

See more Walnut doors overleaf



Tigris Walnut



- Pre-finished Walnut veneer
- 5 ladder style panels, grooved into real wood



Tigris Walnut is also available in Oak and White, see pages 17 & 66.



Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WTIG20		
1981 686 35	WTIG23	44	WTIG23FD30
1981 762 35	WTIG26	44	WTIG26FD30
1981 838 35	WTIG29	44	WTIG29FD30



Mistral Walnut



Emral Walnut



- Pre-finished Walnut veneer
- 5 ladder style panels, grooved into real wood
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Emral Walnut is also available in Oak and White, see pages 17 & 66.



Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	WEMR23
1981 762 35	WEMR26
1981 838 35	WEMR29



Mistral Walnut



- Pre-finished Walnut veneer
- 3 ladder style panels, grooved into MDF

Mistral Walnut is also available in Oak and White, see pages 18 & 67.



Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WMIS20		
1981 686 35	WMIS23	44	WMIS23FD30
1981 762 35	WMIS26	44	WMIS26FD30
1981 838 35	WMIS29	44	WMIS29FD30
2040 526 40	WMIS526		
2040 626 40	WMIS626		
2040 726 40	WMIS726	44	WMIS726FD30
2040 826 40	WMIS826	44	WMIS826FD30
2040 926		44	WMIS926FD30



Mistral Walnut Glazed



- Pre-finished Walnut veneer
- 3 ladder style panels, grooved into MDF
- Clear flat safety glass, flush beaded

Glazed fire doors available to order.

Mistral Walnut Glazed is also available in Oak and White, see pages 19 & 67.



Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	WMIS23G
1981 762 35	WMIS26G
1981 838 35	WMIS29G
2040 626 40	WMIS626G
2040 726 40	WMIS726G
2040 826 40	WMIS826G



Adding the finishing touch...
see page 90

Make a statement with a pocket door system
see page 6

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Fernor

Franquette

Bs



- Pre-finished Walnut veneer
- Flush horizontal grained veneer

Matching door pairs cannot be guaranteed.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WFER20	44	WFER20FD30
1981 686 35	WFER23	44	WFER23FD30
1981 762 35	WFER26	44	WFER26FD30
1981 838 35	WFER29	44	WFER29FD30

Bs



- Pre-finished Walnut veneer
- Flush horizontal grained veneer
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Matching door pairs cannot be guaranteed.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WFRA23	44	WFRA23FD30
1981 686 35	WFRA26	44	WFRA26FD30
1981 762 35	WFRA29	44	WFRA29FD30

Bs



- Pre-finished Walnut veneer
- Alternate vertical and horizontal veneers with oak inlay



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WMAY20	44	WMAY20FD30
1981 686 35	WMAY23	44	WMAY23FD30
1981 762 35	WMAY26	44	WMAY26FD30
1981 838 35	WMAY29	44	WMAY29FD30

Mayette

Bs



- Pre-finished Walnut veneer
- Alternate vertical and horizontal veneers with oak inlay
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WEDR23	44	WEDR23FD30
1981 686 35	WEDR26	44	WEDR26FD30
1981 762 35	WEDR29	44	WEDR29FD30

Edras

Bs



- Pre-finished Walnut veneer
- Oak inlay



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WVIN20	44	WVIN20FD30
1981 686 35	WVIN23	44	WVIN23FD30
1981 762 35	WVIN26	44	WVIN26FD30
1981 838 35	WVIN29	44	WVIN29FD30

Vina

Bs



- Pre-finished Walnut veneer
- Oak inlay
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WVAL23	44	WVAL23FD30
1981 686 35	WVAL26	44	WVAL26FD30
1981 762 35	WVAL29	44	WVAL29FD30

Valcor



Axis Walnut

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Axis Walnut



- Pre-finished Walnut veneer
- Wide shaker panel design

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Axis Walnut is also available in Oak and White, see pages 38 & 83.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	VWAXI20		
1981 686 35	VWAXI23	44	VWAXI23FD30
1981 762 35	VWAXI26	44	VWAXI26FD30
1981 838 35	VWAXI29	44	VWAXI29FD30



Lara

Axis Walnut
Glazed



- Pre-finished Walnut veneer
- Wide shaker panel design
- Clear flat safety glass

Rebated door pairs can be ordered from stock with a short lead time.

Axis Walnut Glazed is also available in Oak and White, see pages 38 & 83.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	VWAXI23G
1981 762 35	VWAXI26G
1981 838 35	VWAXI29G

Lara



- Pre-finished Walnut veneer
- 5 horizontal panels with real wood grooves

Matching door pairs cannot be guaranteed.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	WLAR20	44	WLAR20FD30
1981 686 35	WLAR23	44	WLAR23FD30
1981 762 35	WLAR26	44	WLAR26FD30
1981 838 35	WLAR29	44	WLAR29FD30

Parisienne



- Pre-finished Walnut veneer
- 5 horizontal panels with real wood grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Matching door pairs cannot be guaranteed.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	WPAR23
1981 762 35	WPAR26
1981 838 35	WPAR29

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90



Alabama Fumo



Alabama Cinza

Adding the finishing touch...
see page 90

Make a statement with a pocket door system
see page 6

See more Laminate doors overleaf



NEW Alabama Fumo



- Pre-finished laminate with a smoky grey wood effect
- Central panel is slightly recessed



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	LALAFUM20		
1981 686 35	LALAFUM23	44	LALAFUM23FD30
1981 762 35	LALAFUM26	44	LALAFUM26FD30
1981 838 35	LALAFUM29	44	LALAFUM29FD30



NEW Alabama Fumo Glazed



- Pre-finished laminate with a smoky grey wood effect
- Central panel is slightly recessed
- Clear flat safety glass with raised beading


Height/Width/ Thickness mm	Product Code
1981 686 35	LALAFUMG23
1981 762 35	LALAFUMG26
1981 838 35	LALAFUMG29



NEW Alabama Cinza



- Pre-finished laminate with a dark grey walnut wood effect
- Central panel is slightly recessed



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	LALACIN20		
1981 686 35	LALACIN23	44	LALACIN23FD30
1981 762 35	LALACIN26	44	LALACIN26FD30
1981 838 35	LALACIN29	44	LALACIN29FD30



NEW Alabama Cinza Glazed



- Pre-finished laminate with a dark grey walnut wood effect
- Central panel is slightly recessed
- Clear flat safety glass with raised beading

Height/Width/ Thickness mm	Product Code
1981 686 35	LALACING23
1981 762 35	LALACING26
1981 838 35	LALACING29



Lava

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90



See more Laminate doors overleaf



Ivory



- Pre-finished laminate with ivory coloured wood effect
- 5 ladder style panels with light coloured grooves



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
FINISHED		FIRE DOORS	
1981 610 35	IVOTIG20		
1981 686 35	IVOTIG23	44	IVOTIG23FD30
1981 762 35	IVOTIG26	44	IVOTIG26FD30
1981 838 35	IVOTIG29	44	IVOTIG29FD30



Ivory Glazed



- Pre-finished laminate with ivory coloured wood effect
- 5 ladder style panels with light coloured grooves
- Clear flat safety glass with raised beading

Height/Width/ Thickness mm	Product Code		
FINISHED			
1981 686 35	IVOTIG23G		
1981 762 35	IVOTIG26G		
1981 838 35	IVOTIG29G		



Lava



- Pre-finished laminate with grey coloured wood effect
- 5 ladder style panels with grey coloured grooves



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
FINISHED		FIRE DOORS	
1981 610 35	LAVTIG20		
1981 686 35	LAVTIG23	44	LAVTIG23FD30
1981 762 35	LAVTIG26	44	LAVTIG26FD30
1981 838 35	LAVTIG29	44	LAVTIG29FD30



Lava Glazed



- Pre-finished laminate with grey coloured wood effect
- 5 ladder style panels with grey coloured grooves
- Clear flat safety glass with raised beading

Height/Width/ Thickness mm	Product Code
FINISHED	
1981 686 35	LAVTIG23G
1981 762 35	LAVTIG26G
1981 838 35	LAVTIG29G



NEW Hudson



- Pre-finished laminate with oak coloured wood effect
- Grooved cottage style central panel



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	LHUD20		
1981 686 35	LHUD23	44	LHUD23FD30
1981 762 35	LHUD26	44	LHUD26FD30
1981 838 35	LHUD29	44	LHUD29FD30
2040 626 40	LHUD626	44	LHUD626FD30
2040 726 40	LHUD726	44	LHUD726FD30
2040 826 40	LHUD826	44	LHUD826FD30
2040 926		44	LHUD926FD30



NEW Hudson
Glazed



- Pre-finished laminate with oak coloured wood effect
- Grooved cottage style central panel
- Clear flat safety glass with raised beading

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 686 35	LHUDG23		
1981 762 35	LHUDG26		
1981 838 35	LHUDG29		
2040 626 40	LHUDG626		
2040 726 40	LHUDG726		
2040 826 40	LHUDG826		



NEW Colorado



- Pre-finished laminate with grey coloured wood effect
- Grooved cottage style central panel



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	LCOL020		
1981 686 35	LCOL023	44	LCOL023FD30
1981 762 35	LCOL026	44	LCOL026FD30
1981 838 35	LCOL029	44	LCOL029FD30



NEW Colorado
Glazed



- Pre-finished laminate with grey coloured wood effect
- Grooved cottage style bottom panel
- Clear flat safety glass with etched lines and raised beading

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 686 35	LCOL023G		
1981 762 35	LCOL026G		
1981 838 35	LCOL029G		

Adding the
finishing touch...
see page 90

Make a
statement
with a pocket
door system
see page 6



Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

See more Painted Finish doors overleaf

Pintado Grey

Ardusia Glazed

Grigio

NEW Pintado Grey

Bs

- Pre-finished grey finish with vertical grain

Minimum quantity may apply for Bespoke orders.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	NGPINT20		
1981 686 35	NGPINT23	44	NGPINT23FD30
1981 762 35	NGPINT26	44	NGPINT26FD30
1981 838 35	NGPINT29	44	NGPINT29FD30

NEW Pintado Grey Glazed

Bs

- Pre-finished grey finish with vertical grain
- Clear flat safety glass with raised beading

Minimum quantity may apply for Bespoke orders.

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 686 35	NGPINT23G		
1981 762 35	NGPINT26G		
1981 838 35	NGPINT29G		

Ardusia

Bs

- Painted grey finish with vertical grain
- Grey coloured grooves

Minimum quantity may apply for Bespoke orders.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	NARD20		
1981 686 35	NARD23	44	NARD23FD30
1981 762 35	NARD26	44	NARD26FD30
1981 838 35	NARD29	44	NARD29FD30

Ardusia Glazed

Bs

- Painted grey finish with vertical grain
- Grey coloured grooves
- Clear flat safety glass with raised beading

Minimum quantity may apply for Bespoke orders.

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 686 35	NARD23G		
1981 762 35	NARD26G		
1981 838 35	NARD29G		

Grigio

Bs

- Painted ash grey finish with horizontal grain
- FSC® Certified

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 610 35	ECGRI20		
1981 686 35	ECGRI23	45	ECGRIHH23
1981 762 35	ECGRI26	45	ECGRIHH26
1981 838 35	ECGRI29	45	ECGRIHH29

Grigio Glazed

Bs

- Painted ash grey finish with horizontal grain
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED		FIRE DOORS	
1981 686 35	ECGRI23G		
1981 762 35	ECGRI26G		
1981 838 35	ECGRI29G		



Argento



Mocha Glazed

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90


See more Painted Finish doors overleaf



Argento



- Painted ash grey finish with vertical grain
- Silver coloured vertical grooves
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	ECARG20		
1981 686 35	ECARG23	45	ECARGHH23
1981 762 35	ECARG26	45	ECARGHH26
1981 838 35	ECARG29	45	ECARGHH29



Argento Glazed



- Painted ash grey finish with vertical grain
- Silver coloured vertical grooves
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.


Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ECARG23G
1981 762 35	ECARG26G
1981 838 35	ECARG29G



Mocha



- Painted soft walnut finish with vertical grain
- 5 ladder style panels with ivory coloured grooves
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	ECMOC20		
1981 686 35	ECMOC23	45	ECMOCHH23
1981 762 35	ECMOC26	45	ECMOCHH26
1981 838 35	ECMOC29	45	ECMOCHH29




Mocha Glazed



- Painted soft walnut finish with vertical grain
- 5 ladder style panels with ivory coloured grooves
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ECMOC23G
1981 762 35	ECMOC26G
1981 838 35	ECMOC29G



Wenge



- Painted wenge finish with horizontal grain
- 5 horizontal panels with wenge coloured grooves
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	ECWEN20		
1981 686 35	ECWEN23	45	ECWENHH23
1981 762 35	ECWEN26	45	ECWENHH26
1981 838 35	ECWEN29	45	ECWENHH29



Wenge Glazed



- Painted wenge finish with horizontal grain
- 5 horizontal panels with wenge coloured grooves
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.


Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ECWEN23G
1981 762 35	ECWEN26G
1981 838 35	ECWEN29G



Louvre

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90



Tate



- Painted light oak finish with vertical grain
- 5 horizontal panels, grooved into MDF

Minimum quantity may apply for Bespoke orders.



Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	GTAT20	44	GTAT23FD30
1981 686 35	GTAT23	44	GTAT26FD30
1981 762 35	GTAT26	44	GTAT29FD30
1981 838 35	GTAT29	44	GTAT29FD30



Louvre



- Painted light oak finish with vertical grain
- 5 horizontal panels, grooved into MDF
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Minimum quantity may apply for Bespoke orders.

Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	GLOU23
1981 762 35	GLOU26
1981 838 35	GLOU29



Viridis



- Painted a natural colour tone with vertical grain
- Light coloured grooves

Minimum quantity may apply for Bespoke orders.



Height/Width/Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED FIRE DOORS			
1981 610 35	NVIR20	44	NVIR23FD30
1981 686 35	NVIR23	44	NVIR26FD30
1981 762 35	NVIR26	44	NVIR29FD30
1981 838 35	NVIR29	44	NVIR29FD30

Viridis



Viridis Glazed



- Painted a natural colour tone with vertical grain
- Light coloured grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Minimum quantity may apply for Bespoke orders.



Height/Width/Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	NVIR23G
1981 762 35	NVIR26G
1981 838 35	NVIR29G



Tigris White



Mistral White Glazed



Mistral White

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

See more White Contemporary doors overleaf



Tigris White



- Pre-finished white
- 5 ladder style panels, grooved into MDF
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Tigris White is also available in Oak and Walnut, see pages 17 & 49.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	LTIG20		
1981 686 35	LTIG23	44	LTIG23FD30
1981 762 35	LTIG26	44	LTIG26FD30
1981 838 35	LTIG29	44	LTIG29FD30



Emral White



- Pre-finished white
- 5 ladder style panels, grooved into MDF
- Clear flat safety glass, flush beaded
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Glazed fire doors available to order.

Emral White is also available in Oak and Walnut, see pages 17 & 49.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	LEMR23G
1981 762 35	LEMR26G
1981 838 35	LEMR29G



Tigris White Bi-fold



- Pre-finished white
- 5 ladder style panels, grooved into MDF
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 762 35	LTIGBF26



Mistral White



- White primed
- 3 ladder style panels, grooved into MDF
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Mistral White is also available in Oak and Walnut, see pages 18 & 49.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 610 35	LMIS20		
1981 686 35	LMIS23	44	LMIS23FD30
1981 762 35	LMIS26	44	LMIS26FD30
1981 838 35	LMIS29	44	LMIS29FD30
2040 526 40	LMIS526		
2040 626 40	LMIS626		
2040 726 40	LMIS726	44	LMIS726FD30
2040 826 40	LMIS826	44	LMIS826FD30
2040 926		44	LMIS926FD30



Mistral White Glazed



- White primed
- 3 ladder style panels, grooved into MDF
- Clear flat safety glass, flush beaded
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Glazed fire doors available to order.

Mistral White Glazed is also available in Oak and Walnut, see pages 19 & 49.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	LMIS23G
1981 762 35	LMIS26G
1981 838 35	LMIS29G
2040 626 40	LMIS626G
2040 726 40	LMIS726G
2040 826 40	LMIS826G



Mistral White Bi-fold



- White primed
- 3 ladder style panels, grooved into MDF
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Mistral White Bi-fold is also available in Oak, see page 19.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	LMISBF26

Useful Tip:

When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.



Parelo Glazed

Parelo



- Painted satin white finish
- Black coloured vertical grooves
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	ECPAR20		
1981 686 35	ECPAR23	45	ECPARHH23
1981 762 35	ECPAR26	45	ECPARHH26
1981 838 35	ECPAR29	45	ECPARHH29

Linea



- Painted satin white finish
- 5 ladder style panels with black coloured grooves
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	ECLIN20		
1981 686 35	ECLIN23	45	ECLINHH23
1981 762 35	ECLIN26	45	ECLINHH26
1981 838 35	ECLIN29	45	ECLINHH29

Blanco



- Painted satin white finish
- Aluminium coloured inlays
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRE-FINISHED			
1981 610 35	ECBLA20		
1981 686 35	ECBLA23	45	ECBLAHH23
1981 762 35	ECBLA26	45	ECBLAHH26
1981 838 35	ECBLA29	45	ECBLAHH29

Parelo Glazed



- Painted satin white finish
- Black coloured vertical grooves
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ECPAR23G
1981 762 35	ECPAR26G
1981 838 35	ECPAR29G

Linea Glazed



- Painted satin white finish
- 5 ladder style panels with black coloured grooves
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ECLIN23G
1981 762 35	ECLIN26G
1981 838 35	ECLIN29G

Blanco Glazed



- Painted satin white finish
- Aluminium coloured inlays
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.



Height/Width/ Thickness mm	Product Code
PRE-FINISHED	
1981 686 35	ECBLA23G
1981 762 35	ECBLA26G
1981 838 35	ECBLA29G

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

See more White Contemporary doors overleaf



Imperial

Imperial



- White primed
- MDF face with ladder style feature grooves
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LIMP20		
1981 686 35	LIMP23	44	LIMP23FD30
1981 762 35	LIMP26	44	LIMP26FD30
1981 838 35	LIMP29	44	LIMP29FD30

Regent



- White primed
- MDF face with ladder style feature grooves
- Retro style apertures. Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 686 35	LREG23		
1981 762 35	LREG26		
1981 838 35	LREG29		

Arcadian



- White primed
- 5 horizontal panels, grooved into MDF
- Retro style apertures. Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 686 35	LARC23		
1981 762 35	LARC26		
1981 838 35	LARC29		

Adelphi



- White primed
- 5 horizontal panels, grooved into MDF
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LADE20		
1981 686 35	LADE23	44	LADE23FD30
1981 762 35	LADE26	44	LADE26FD30
1981 838 35	LADE29	44	LADE29FD30



Adelphi Bi-fold



- White primed
- 5 horizontal panels, grooved into MDF
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 762 35	LADEBF26		


Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

Useful Tip:

For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

See more White Contemporary doors overleaf



Adelphi

Oriole



- White primed
- MDF face with feature grooves
- Oval shaped aperture. Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 686 35	LORI23		
1981 762 35	LORI26		
1981 838 35	LORI29		

Dominion



- White primed
- 5 horizontal panels, grooved into MDF
- Etched flat safety glass with clear rectangular pattern and raised beading
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 686 35	LDOM23		
1981 762 35	LDOM26	44	LDOM26FD30
1981 838 35	LDOM29	44	LDOM29FD30

Eclipse



- White primed
- MDF face with feature grooves
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LECL20		
1981 686 35	LECL23	44	LECL23FD30
1981 762 35	LECL26	44	LECL26FD30
1981 838 35	LECL29	44	LECL29FD30



Apollo



Ripple, shown painted in pale grey

Adding the finishing touch...
see page 90

Make a statement with a pocket door system
see page 6

See more White Contemporary doors overleaf

Useful Tip:
When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.



Apollo



- White primed
- MDF face with ladder style feature grooves
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LAP020		
1981 686 35	LAP023	44	LAP023FD30
1981 762 35	LAP026	44	LAP026FD30
1981 838 35	LAP029	44	LAP029FD30



Barbican



- White primed
- MDF face with ladder style feature grooves
- Etched flat safety glass with clear rectangular pattern and raised beading
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 686 35	LBAR23		
1981 762 35	LBAR26	44	LBAR26FD30
1981 838 35	LBAR29	44	LBAR29FD30



Fortune



- Premium primed
- MDF face with feature grooves


Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LFOR20		
1981 686 35	LFOR23	44	LFOR23FD30
1981 762 35	LFOR26	44	LFOR26FD30
1981 838 35	LFOR29	44	LFOR29FD30



Lyric



- Premium primed
- MDF face with feature grooves

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LLYR20		
1981 686 35	LLYR23	44	LLYR23FD30
1981 762 35	LLYR26	44	LLYR26FD30
1981 838 35	LLYR29	44	LLYR29FD30



Ripple



- White primed
- Textured effect
- FSC® Certified

Perfect for painting a contemporary colour.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	RIP20		
1981 686 35	RIP23	45	RIP23FD30
1981 762 35	RIP26	45	RIP26FD30
1981 838 35	RIP29	45	RIP29FD30



Ripple Glazed



- White primed
- Textured effect
- Clear flat safety glass, flush beaded
- FSC® Certified

Perfect for painting a contemporary colour.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	RIP23G
1981 762 35	RIP26G
1981 838 35	RIP29G



Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

Useful Tip:
For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.



Quattro



- White primed
- Moulded panel smooth finish with ladder style effect
- FSC® Certified



Quattro Glazed



- White primed
- Moulded panel smooth finish with ladder style effect
- Clear flat safety glass, flush beaded
- FSC® Certified



Aster



- Premium primed
- MDF face with feature grooves

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	QUA20		
1981 686 35	QUA23	44	QUA23FD30
1981 711 35	QUA24		
1981 762 35	QUA26	44	QUA26FD30
1981 838 35	QUA29	44	QUA29FD30

Height/Width/ Thickness mm	Product Code
1981 686 35	QUA4L23
1981 762 35	QUA4L26
1981 838 35	QUA4L29

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LAST20		
1981 686 35	LAST23	44	LAST23FD30
1981 762 35	LAST26	44	LAST26FD30
1981 838 35	LAST29	44	LAST29FD30



Elektra



- Premium primed
- MDF face with feature grooves

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LELE20		
1981 686 35	LELE23	44	LELE23FD30
1981 762 35	LELE26	44	LELE26FD30
1981 838 35	LELE29	44	LELE29FD30



Novello




- Premium primed
- MDF face with feature grooves

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LN0V20		
1981 686 35	LN0V23		
1981 762 35	LN0V26	44	LN0V26FD30
1981 838 35	LN0V29	44	LN0V29FD30



Criterion



- Premium primed
- MDF face with feature grooves

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LCRI20		
1981 686 35	LCRI23	44	LCRI23FD30
1981 762 35	LCRI26	44	LCRI26FD30
1981 838 35	LCRI29	44	LCRI29FD30



Jamaica

Jamaica



- White primed
- Flat panel with decorative muntings
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 610 35	CJAM20		
1981 686 35	CJAM23	44	CJAM23FD30
1981 762 35	CJAM26	44	CJAM26FD30
1981 838 35	CJAM29	44	CJAM29FD30

Caprice



- White primed
- Moulded panel grained effect
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 610 35	CAP20		
1981 686 35	CAP23		
1981 762 35	CAP26	44	CAP26FD30
1981 838 35	CAP29	44	CAP29FD30
2040 726 40	CAP726	44	CAP726FD30
2040 826 40	CAP826	44	CAP826FD30

Adding the finishing touch...
see page 90

Useful Tip:
For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

See more White Classic doors overleaf

Edwardian



- White primed
- Moulded panel grained effect
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 533 35	ED19		
1981 610 35	ED20		
1981 686 35	ED23		
1981 762 35	ED26	44	EDHH26
1981 838 35	ED29	44	EDHH29
2032 813 35	ED28	44	EDHH28

Trinidad



- White primed
- Decorative muntings
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	CTRI23
1981 762 35	CTRI26
1981 838 35	CTRI29

Andorra



- White primed
- Moulded panel grained effect
- Etched flat safety glass with clear rectangular pattern and flush beading
- FSC® Certified



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	CAPAND23
1981 762 35	CAPAND26
1981 838 35	CAPAND29

Edwardian 2 Light



- White primed
- Moulded panel grained effect
- Etched flat safety glass with clear diamond pattern lines and flush beading
- FSC® Certified



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	ED6LS23
1981 762 35	ED6LS26
1981 838 35	ED6LS29



Colonist



Decima



- White primed
- Moulded panel grained effect
- Clear bevelled safety glass with brushed chrome camings and raised perimeter beading
- FSC® Certified

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	CCAPDEC23
1981 762 35	CCAPDEC26
1981 838 35	CCAPDEC29



Decca



- White primed
- Moulded panel grained effect
- Clear flat safety glass with etched lines and flush beading
- FSC® Certified

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	DEC23
1981 762 35	DEC26
1981 838 35	DEC29



Colonist Bi-fold



- White primed
- Moulded panel grained effect
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	COLBF26
1981 914 35	COLBF30

Colonist



- White primed
- Moulded panel grained and smooth effect
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED GRAINED		FIRE DOORS	
1981 381 35	COL13**		
1981 457 35	COL16**		
1981 533 35	COL19**		
1981 610 35	COL20	44	COLHH20
1981 686 35	COL23	44	COLHH23
1981 711 35	COL24		
1981 762 35	COL26	44	COLHH26
1981 838 35	COL29	44	COLHH29
2032 813 35	COL28	44	COLHH28
2040 526 40	COL526		
2040 626 40	COL626		
2040 726 40	COL726	44	COLHH726
2040 826 40	COL826	44	COLHH826
2040 926		44	COLHH926
PRIMED SMOOTH		FIRE DOORS	
1981 457 35	SMCOL16**		
1981 533 35	SMCOL19**		
1981 610 35	SMCOL20		
1981 686 35	SMCOL23	44	SMCOLHH23
1981 762 35	SMCOL26	44	SMCOLHH26
1981 838 35	SMCOL29	44	SMCOLHH29
2032 813 35	SMCOL28	44	SMCOLHH28

**3 Panel

Important:
Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

See more White Classic doors overleaf

Classique



- White primed
- Moulded panel grained effect
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 533 35	CLA19		
1981 610 35	CLA20		
1981 686 35	CLA23	44	CLAAHH23
1981 711 35	CLA24		
1981 762 35	CLA26	44	CLAAHH26
1981 838 35	CLA29	44	CLAAHH29
2032 813 35	CLA28		
2040 726 40	CLA726		
2040 826 40	CLA826		



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	CLAGLS23
1981 762 35	CLAGLS26
1981 838 35	CLAGLS29
2032 813 35	CLAGLS28

Classique 6 Light



- White primed
- Moulded panel grained effect
- Clear flat safety glass with flush beading
- FSC® Certified

Classique Bi-fold



- White primed
- Moulded panel grained effect
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 610 35	CLABF20
1981 762 35	CLABF26



Classique 6 Light Pairs



- White primed
- Moulded panel grained effect
- Clear flat safety glass with flush beading
- Rebated meeting stiles, right hand open away
- FSC® Certified

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 1220 35	CLAGLSPR40



Faro

Canterbury



- White primed
- Moulded panel grained and smooth effect
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED GRAINED			
1981 457 35	CAN16*		
1981 533 35	CAN19*		
1981 610 35	CAN20	44	CANHH20
1981 686 35	CAN23	44	CANHH23
1981 711 35	CAN24		
1981 762 35	CAN26	44	CANHH26
1981 838 35	CAN29	44	CANHH29
2032 813 35	CAN28	44	CANHH28
2040 526 40	CAN526		
2040 626 40	CAN626		
2040 726 40	CAN726	44	CANHH726
2040 826 40	CAN826	44	CANHH826
2040 926		44	CANHH926
PRIMED SMOOTH			
1981 610 35	SMCAN20	44	SMCANHH20
1981 686 35	SMCAN23	44	SMCANHH23
1981 762 35	SMCAN26	44	SMCANHH26
1981 838 35	SMCAN29	44	SMCANHH29
2032 813		44	SMCANHH28
2040 926		44	SMCANHH926

*2 Panel

Faro



- White primed
- Moulded panel grained effect
- Clear flat safety glass with flush beading
- FSC® Certified

FARO FD30
Clear flat safety glass with etched lines and raised perimeter beading



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 686 35	CAPFAR23		
1981 762 35	CAPFAR26	44	CAPFAR26FD30
1981 838 35	CAPFAR29	44	CAPFAR29FD30

Canterbury
2 Light



- White primed
- Moulded panel grained and smooth effect
- Grained: etched flat safety glass with clear diamond pattern lines
- Smooth: clear flat safety glass
- Both with flush beading
- FSC® Certified



Height/Width/ Thickness mm	Product Code
PRIMED GRAINED ETCHED GLASS	
1981 686 35	CANGL23
1981 762 35	CANGL26
1981 838 35	CANGL29
2032 813 35	CANGL28
2040 726 40	CANGL726
PRIMED SMOOTH CLEAR GLASS	
1981 686 35	SMCANGLC23
1981 762 35	SMCANGLC26
1981 838 35	SMCANGLC29

Adding the finishing touch...
see page 90



Make a statement with a pocket door system
see page 6

Important:

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

Canterbury
2 Light FD30



- White primed
- Moulded panel grained effect
- Clear flat fire glass with raised beading
- FSC® Certified



Height/Width/ Thickness mm	Product Code
PRIMED GRAINED	
FIRE DOORS	
1981 762 44	CANGL26FD30
1981 838 44	CANGL29FD30

Canterbury
Bi-fold



- White primed
- Moulded panel grained effect
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 610 35	CANBF20
1981 762 35	CANBF26

Canterbury
Glazed Bi-fold



- White primed
- Moulded panel grained effect
- Etched flat safety glass with clear diamond pattern lines and flush beading
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	CANBFGLT26



Axis White

Axis White Ripple



- White primed
- Textured ripple effect centre panel
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	SAXIRIP20		
1981 686 35	SAXIRIP23	44	SAXIRIP23FD30
1981 762 35	SAXIRIP26	44	SAXIRIP26FD30
1981 838 35	SAXIRIP29	44	SAXIRIP29FD30

Axis White



- White primed
- Wide shaker panel design
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Axis White is also available in Oak and Walnut, see pages 38 & 53.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	SAXI20		
1981 686 35	SAXI23	44	SAXI23FD30
1981 762 35	SAXI26	44	SAXI26FD30
1981 838 35	SAXI29	44	SAXI29FD30

Axis White Bi-fold



- White primed
- Wide shaker panel design
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	SAXIBF26

Axis White Glazed



- White primed
- Wide shaker panel design
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Axis White Glazed is also available in Oak and Walnut, see pages 38 & 53.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	SAXI23G
1981 762 35	SAXI26G
1981 838 35	SAXI29G

Axis White Glazed Bi-fold



- White primed
- Wide shaker panel design
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- Clear flat safety glass
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	SAXIBFG26

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

Useful Tip:
When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.

See more White Shaker doors overleaf

Eccentro



- White primed
- Wide shaker panel design
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	SECC20		
1981 686 35	SECC23	44	SECC23FD30
1981 762 35	SECC26	44	SECC26FD30
1981 838 35	SECC29	44	SECC29FD30

Eccentro Glazed



- White primed
- Wide shaker panel design
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	SECC23G
1981 762 35	SECC26G
1981 838 35	SECC29G



Geo



Geo



- White primed
- Wide shaker panel design
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 610 35	SGE020		
1981 686 35	SGE023	44	SGE023FD30
1981 762 35	SGE026	44	SGE026FD30
1981 838 35	SGE029	44	SGE029FD30



Antigua



- White primed
- Full recessed panel
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 610 35	CANTI20		
1981 686 35	CANTI23	44	CANTI23FD30
1981 762 35	CANTI26	44	CANTI26FD30
1981 838 35	CANTI29	44	CANTI29FD30

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

Useful Tip:
For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

See more White Shaker doors overleaf



Tobago



- White primed
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED			
1981 686 35	CTOB23		
1981 762 35	CTOB26	44	CTOB26FD30
1981 838 35	CTOB29	44	CTOB29FD30



Geo Glazed



- White primed
- Wide shaker panel design
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	SGE023G
1981 762 35	SGE026G
1981 838 35	SGE029G



Antigua Bi-fold



- White primed
- Full recessed panels
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
1981 762 35	CANTIBF26



Tobago Bi-fold



- White primed
- Clear flat safety glass
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
1981 762 35	CTOBBF26



Aurora Glazed



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	CAUR23
1981 762 35	CAUR26
1981 838 35	CAUR29

Aurora



- White primed
- Retro sunshine door
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	CAUR26G

Aurora Glazed



- White primed
- Retro sunshine door
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Make a statement with a pocket door system see page 6

Adding the finishing touch... see page 90

Useful Tip:
When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	CMON20		
1981 686 35	CMON23	44	CMON23FD30
1981 762 35	CMON26	44	CMON26FD30
1981 838 35	CMON29	44	CMON29FD30

Montserrat



- White primed
- Four recessed panels
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	CCAY23
1981 762 35	CCAY26
1981 838 35	CCAY29

Cayman



- White primed
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	CBAR20		
1981 686 35	CBAR23	44	CBAR23FD30
1981 762 35	CBAR26	44	CBAR26FD30
1981 838 35	CBAR29	44	CBAR29FD30

Barbados



- White primed
- Two recessed panels
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Montserrat Bi-fold



- White primed
- Recessed panels
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	CMONBF26



Cayman Bi-fold



- White primed
- Clear flat safety glass
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Thickness mm	Product Code
PRIMED	
1981 762 35	CCAYBF26



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	CDOMI23
1981 762 35	CDOMI26
1981 838 35	CDOMI29

Dominica



- White primed
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.



Cottage 1 Light



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	LSAV20		
1981 686 35	LSAV23		
1981 762 35	LSAV26	44	LSAV26FD30
1981 838 35	LSAV29	44	LSAV29FD30

Savoy



- White primed
- Grooved centre panel is full door thickness
- FSC® Certified

Make a statement with a pocket door system
see page 6

Adding the finishing touch...
see page 90

Useful Tip:
For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.



Cottage 5



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	LPH023
1981 762 35	LPH026
1981 838 35	LPH029

Phoenix



- White primed
- Grooved panel effect
- Clear flat safety glass with raised beading
- FSC® Certified



Height/Width/ Thickness mm	Product Code	Thickness mm	Product Code
PRIMED		FIRE DOORS	
1981 610 35	MCOT520		
1981 686 35	MCOT523	44	MCOT523FD30
1981 762 35	MCOT526	44	MCOT526FD30
1981 838 35	MCOT529	44	MCOT529FD30

Cottage 5



- White primed
- Moulded panel grained effect
- FSC® Certified



Height/Width/ Thickness mm	Product Code
PRIMED	
1981 686 35	MCOT51L23
1981 762 35	MCOT51L26
1981 838 35	MCOT51L29

Cottage 1 Light



- White primed
- Moulded panel grained effect
- Clear flat safety glass with etched lines and flush beading
- FSC® Certified

Door Handle Latch Packs

the perfect partner for your JB Kind doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box.

Each pack comes with a pair of handles, a smartlatch, a choice of keeps and three quality stainless steel ball bearing hinges.




Smartlatch: Fit in under five minutes



Step one: Using a 25mm drill bit, bore out to 75mm in depth.

Step two: Using the same bit, drill the hole for the spindle.

Step three: Then simply insert the latch.




Privacy latch packs with revolutionary push button, available in all handle styles. No requirement to purchase or fit a separate bathroom lock.



With a 10 year parts and mechanism guarantee, the premium stainless steel and zinc diecast construction provides that all important peace of mind.


Please note: the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.



Roller

Polished and satin chrome finish

STANDARD LATCH PACK	PRIVACY LATCH PACK
IROLLP	IROLPP



Blade

Satin chrome finish

STANDARD LATCH PACK	PRIVACY LATCH PACK
IBLALP	IBLAPP



Wave

Polished chrome finish

STANDARD LATCH PACK	PRIVACY LATCH PACK
IWAVLP	IWAVPP



Drift

Polished chrome and satin nickel finish


STANDARD LATCH PACK	PRIVACY LATCH PACK
IDRILP	IDRIPP



Curl

Polished chrome and satin nickel finish

STANDARD LATCH PACK	PRIVACY LATCH PACK
ICURLP	ICURPP



Tube

Satin chrome finish

STANDARD LATCH PACK	PRIVACY LATCH PACK
ITUBLP	ITUBPP



Please refer to
jbkind.com for
further details



Tigris Extreme, shown painted

Our External Extreme door range has revolutionised the replacement front door market! Constructed with an exceptionally durable and dimensionally stable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, ensuring that the doors can withstand all weathers – and to illustrate just how confident we are, we issue every External Extreme door with a 10 year guarantee!

External Extreme doors are perfect for painting your own chosen colour and all glazed doors are fitted with Pilkington™ double glazed units. Easily fitted by a competent joiner into an existing or new wooden door frame, homeowners will have confidence that External Extreme will be a long lasting, reliable exterior door option.



Traditionally used for cladding and facias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use within the structure of external doors.



DURABLE
Longer lasting, perfect for external use.



PERFECT FOR COATING
Improved stability and durability enhances service life of the coating. Damaged coating will not affect the core.



SUSTAINABLY SOURCED
FSC® Certified. Wood used from sustainable sources.



ENHANCED STABILITY
Swelling and shrinking dramatically reduced.



LOWER MAINTENANCE COSTS
Extended periods between exterior coatings maintenance.



RESISTANT TO FUNGAL DECAY
Effective barrier to fungal decay.

Tigris Extreme

- Pre-finished White
- Composite core
- Grooved, 5 ladder style panels
- Weather bar included
- FSC® Certified
- U Value 1.4

See more External
Extreme doors overleaf



Height/Width/
Thickness mm Product
Code

PRE-FINISHED
1981 838 44 EXTIG29

Tigris Glazed
Extreme

- Pre-finished White
- Composite core
- Grooved, 5 ladder style panels
- Pilkington™ opal flat glass double glazed unit
- Weather bar included
- FSC® Certified
- U Value 1.6



Height/Width/
Thickness mm Product
Code

PRE-FINISHED
1981 838 44 EXTIG29G



Tigris Glazed Extreme, shown painted



Colonial 4 Panel Glazed Extreme

Useful Tip:
To keep your exterior doors tip top we would recommend repainting every two to three years.



Please refer to jbkind.com for further details



Weather bar, supplied with all External Extreme doors

Although supplied pre-finished, our External Extreme doors are perfect for painting your chosen colour.

Thames Extreme

- Pre-finished White
- Composite core
- Grooved cottage style panel effect
- Weather bar included
- FSC® Certified
- U Value 1.4



Height/Width/ Thickness mm	Product Code
1981 838 44	EXTHA29

Thames Glazed Extreme

- Pre-finished White
- Composite core
- Grooved cottage style panel effect
- Pilkington™ clear flat glass double glazed unit
- Weather bar included
- FSC® Certified
- U Value 1.6



Height/Width/ Thickness mm	Product Code
1981 838 44	EXTHA29G

Colonial 4 Panel Extreme

- Pre-finished White
- Composite core
- Raised panels
- Weather bar included
- FSC® Certified
- U Value 2.1



Height/Width/ Thickness mm	Product Code
1981 838 44	EX4P29

Colonial 4 Panel Glazed Extreme

- Pre-finished White
- Composite core
- Raised panels
- Pilkington™ opal flat glass double glazed unit
- Weather bar included
- FSC® Certified
- U Value 2.0



Height/Width/ Thickness mm	Product Code
1981 838 44	EX4PTL29

2XG Extreme

- Pre-finished White
- Composite core
- Raised panel
- Pilkington™ clear flat glass double glazed unit
- Weather bar included
- FSC® Certified
- U Value 1.8



Height/Width/ Thickness mm	Product Code
1981 762 44	E2XG1P26G
1981 838 44	E2XG1P29G

Internal Door Accessories

Oak Door Linings, Architraves and Skirtings – Boxed Sets

Constructed with a solid engineered core and faced with oak veneer. Each set is sufficient for most standard door sizes, available both varnished and unvarnished.



Linings		
SIZE (MM)	VARNISHED	UNVARNISHED
30 x 108	ODL108V	ODL108
30 x 133	ODL133V	ODL133
Each pack is sufficient for a single door		
Contents per box:		
2 pieces 2100mm - Jambs	1 piece 1050mm - Head	
Stops - 12 x 45mm, 2 pieces 2100mm, 1 piece 1050mm		



Architraves		
SIZE (MM)	VARNISHED	UNVARNISHED
18 x 69	OARC69V	OARC69
Each pack is sufficient for both sides of one door		
Contents per box:		
4 pieces 2200mm	2 pieces 1200mm lengths	



Skirting		
SIZE (MM)	VARNISHED	UNVARNISHED
18 x 144	OSK144V	OSK144
Contents per box:		
4 pieces 3000mm lengths		

Pair Maker

Oak style T-section pair maker, available for both standard and metric width doors.



Pair Maker	
SIZE (MM)	PRODUCT CODE
UNVARNISHED	
2100mm	OPRMAKER37 (to suit 35mm door)
2100mm	OPRMAKER42 (to suit 40mm door)

Modern Architrave

The perfect complement for your doors. Veneered on MDF and supplied with sufficient lengths to fit both sides of most standard internal door sizes.

Modern Architrave		
SIZE (MM)	VARNISHED	UNVARNISHED
ARCHITRAVES		
(box quantity for 2 sides single leaf)		
	OCLRA70V	OCLRA70
Contents per box:		
4 pieces 2200mm - Jambs	70 x 20mm	
2 pieces 1100mm - Heads	70 x 10mm	



Sovereign Sets

The ultimate embellishment for enhancing oak or painted internal doors in both unfinished and prefinished oak, veneered on MDF. Two different head sizes are offered to suit both single leaves and pairs.

Architrave Sets		
SIZE (MM)	VARNISHED	UNVARNISHED
1100	RPSOV011	RPSOV011-OU
1800	RPSOV022	RPSOV022-OU
Contents per box: sufficient for one side of a door		
2 jambs	1 head	
2 corner blocks	2 plinth blocks	



For a perfect finish...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

All-in-one natural hard wax oil that dries to a natural, clear matt finish.



Please refer to www.mannsuk.com for more information and to purchase these products directly.

Clear, water based varnish that is available in 4 sheen levels.



Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door Oil.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch / locks etc. should be cut to the minimum recommended sizes. Panel door mortises should not be located at rail joints as this may significantly weaken them. On completion remove doors, taking off all ironmongery and treat every cut / untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay particular attention to all edges of your door, particularly any exposed end grain where the propensity for the free passage of moisture is much greater.

T: 01283 554197



Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our pre-finished doors should not be exposed to inappropriate damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Quality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the European standards.

IMPORTANT

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match.

Colours depicted are representative only and are reproduced as accurately as the printing process will allow.

We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.

Look for FSC® certified products

FSC® Certified chain of custody door supplier

The mark of responsible forestry

We hold our own FSC® chain of custody certification for certain doors within our collection. Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see FSC® Certified within a product description that door has been produced from certified materials and other controlled sources.

Fire Door Information

Fire doors are a serious business, and that’s why we invest our time, energy and money to ensure that we have one of the most comprehensive, and accredited, collections of fire doors in the UK.

Certificated Fire Doors

Many of the fire doors in this catalogue are certified within the BWF-CERTIFIRE scheme and the products where this applies are endorsed with the logo. BWF-CERTIFIRE certification validates these products suitable for use as fire doors and provides the means to independently authenticate the quality and performance of the doors to which this applies.

For more information on the BWF-CERTIFIRE scheme, visit jbkind.com



As responsible suppliers of fire resistant doors, we ensure that all of our FD30 doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards.

All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can’t do when fitting any particular door. All fire doors are glazed with fire-rated glass.

FD30 fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to jbkind.com or call 01283 554197.

Our doors can be ordered from Builders Merchants and Door Retailer partners across the UK and buying your JB Kind doors is now even easier with our online **Supplier Locator**. Just go to www.jbkind.com and put in your postcode to find the closest retailer to you – we also tell you which outlets have JB Kind door displays so you can take the time to go and experience just how fabulous our doors really are!

If you already know exactly what you want and you like the ease of ordering online, then just pop onto the website and check out the buy online section with links to our approved **Online Partners** - then you’re just a click away from receiving your dream doors.



Sometimes you’ll need advice and we are always here to help. Just give us a call on **01283 554 197** or email info@jbkind.com

FD30 FIRE DOORS – AT A GLANCE

Virtually every JB Kind door range offers an FD30 fire door option from stock, including some glazed fire doors too. Our bespoke service means that alternative designs, special sizes and glazed designs can also be made to order if required.

Take a look below to see which fire door options are available by range. Look out for the  logo adjacent to product images.

	Solid FD30 Fire Doors		Glazed FD30 Fire Doors	
	AVAILABLE FROM STOCK	BESPOKE FD30	AVAILABLE FROM STOCK	BESPOKE FD30
Oak Contemporary	✓ all designs	✓ all designs	✓ Emral Oak (p17) ✓ Blenheim (p25)	✓ all designs excluding Bela and Sol Glazed
Oak Classic	✓ all designs	✓ Royale designs only	✓ Royale 12-6VM (p29)	✓ Royale designs only
Oak Shaker	✓ all designs	N/A	N/A	N/A
Oak Cottage	✓ all designs excluding Rustic Oak	✓ Thames Original (p43) ✓ Cherwell (p44)	N/A	✓ Cherwell Glazed (p44)
Walnut	✓ all designs	✓ all designs excluding Axis	N/A	✓ all designs excluding Axis Glazed
Laminates	✓ all designs	N/A	N/A	N/A
Painted Finish	✓ all designs	✓ all designs	N/A	✓ all designs
White Contemporary	✓ all designs	✓ all designs excluding Imperial, Eclipse, Quattro, Ripple	✓ Dominion (p71) ✓ Barbican (p72)	✓ all designs excluding Arcadian, Regent, Oriole, Quattro, Ripple
White Classic	✓ all designs	N/A	✓ Faro (p81) ✓ Canterbury 2 Light (p82)	N/A
White Shaker	✓ all designs excluding Aurora	N/A	✓ Tobago (p85)	N/A
White Cottage	✓ all designs	N/A	N/A	N/A

NB Bi-fold doors are not available as a fire door.

Visit our Showroom

Located in Swadlincote, Derbyshire, you are invited to touch and feel our products at first hand – we’re sure you’ll be impressed.

In early 2018 our showroom is being fully refurbished and you will be able to view over 70 doors on display, including one of our double pocket door systems.

Please call 01283 554197 to make an appointment or complete our online showroom appointment form. Alternatively, we have many partners throughout the UK with our doors on display, so please consult us for the closest to you or visit our online Supplier Locator.





INSPIRATIONAL DOORS.
Undeniable value.

www.jbkind.com



Contact your local stockist

Scan with your
smartphone



JB Kind Limited
Portal Place, Astron Business Park, Heathcote Road, Swadlincote, Derbyshire DE11 9DW
T: **01283 554197** F: 01283 554182 E: info@jbkind.com

